

TOTO

Life Anew


To create a culture of comfortable, healthy living.

Since our founding, we have continuously pursued innovations that offer greater wellness and comfort to daily life.

Honoring the trust that our customers and society place in us TOTO remains dedicated to delivering products that offer inclusive functionality and respect for the environment.

We embrace these values every day to create a future that surpasses all expectations.

To ensure we secure and retain the trust of customers and society as a whole, we have formulated a mission with three key elements.



We will implement our Global Environmental Vision to support the mission.

002



CONTENTS

NEOREST		16	16 BATHTUBS		164	SHOWCASE		322
018	ICON GUIDE		173	FLOTATION TUB		324	SHOWCASE 01	
020	NEOREST® PURE LUXURY		174	REINFORCED MARBLE		328	SHOWCASE 02	
024	NEOREST® LINE UP		177	PEARL ACRYLIC		332	SHOWCASE 03	
028	ACTILIGHT		180	ENAMELED CAST IRON		336	SHOWCASE 04	
030	EWATER+ for BOWL		183	ACRYLIC		340	SHOWCASE 05	
032	EWATER+ for WAND		186	WASTE FITTINGS		344	SHOWCASE 06	
034	EWATER+ for UNDER SEAT					348	SHOWCASE 07	
036	CEFIONTECT / PREMIST		FITTIN	IGS & SHOWERS	188	349	SHOWCASE 08	
038	TORNADO FLUSH / RIMLESS		194	PRODUCT LINEUP		350	SHOWCASE 09	
042	AIR-IN WONDERWAVE		196	ZA SERIES		352	SHOWCASE 10	
046	COMFORT TECHNOLOGY		202	ZL SERIES		354	SHOWCASE 11	
050	HYBRID ECOLOGY SYSTEM		208	GE SERIES		356	SHOWCASE 12	
052	NEOREST® NX2 /		212	GC SERIES		358	SHOWCASE 13	
	NEOREST® NX1		218	GM SERIES		360	SHOWCASE 14	
056	NEOREST® WX		222	GB SERIES		362	SHOWCASE 15	
060	NEOREST® LS		226	GF SERIES		364	SHOWCASE 16	
064	NEOREST® AS		230	GA SERIES				
066	NEOREST® RS		234	GO SERIES				
070	HOW THE REMOTE CONTROL		238	GR SERIES		PUBLIC		366
	WORKS		242	GS SERIES		382	ZN SERIES	
074	COMPARISON CHART		246	TECHNOLOGY		383	GE SERIES	
076	PRODUCT CONTENTS		260	SHOWER		384	GC SERIES	
			266	FEATURE		385	GM SERIES	
WASHLET			270	TECHNOLOGY		386	TLE24 SERIES	
		80	286	Z SELECTION		387	TLE25 SERIES	
			290	G SELECTION		388	TLE26, TLE28 SERIES	
TOILETS		116	296	L SELECTION		389	TLE27, TLE29 SERIES	
		110	300	SHOWER SYSTEM		391	TOUCHLESS FAUCET TECHNOL	LOG'
120	ONE PIECE TOILETS		304	CI CONTEMPORARY		392	TOUCHLESS FAUCETS	
122	CLOSED COUPLED TOILETS		310	CII CLASSIC		400	TOUCHLESS SOAP DISPENSER	
126	WALL HUNG TOILETS		316	REIS			FEATURE	
129	WALL FACED TOILETS		317	CRES		402	TOUCHLESS SOAP DISPENSER	S
130	CONCEALED TANK		318	OVER HEAD SHOWER		404	URINAL & TOILET	-
131	FLUSH PANEL		319	OTHERS		406	URINAL	
132	BIDETS					410	FLUSH VALVE FOR URINAL	
134	SEAT & COVERS					413	TOILET	
			ACCE	SSORIES	320	414	FLUSH VALVE FOR TOILET	
			322	G SELECTION ACCESSORIES		415	CONCEALED FRAME	
LAVATORIES		136	322			416	HAND DRYER	
142	CONSOLE LAVATORIES		323	LINEUP L SELECTION ACCESSORIES		418	ACCESSORIES	
152	SELF RIMMING LAVATORIES		323			420	HAND RAIL	
154	SEMI RECESSED LAVATORIES		224	LINEUP		422	OTHERS	
155	UNDER COUNTER LAVATORIES		324	OTHERS		166	5IEI 10	
159	WALL HUNG LAVATORIES							
161	HALF PEDESTAL LAVATORIES					HISTOR	Y	424
	. J.L LOZO J. L. D. W. II OTILLO							


003

FULL PEDESTAL LAVATORIES





NEOREST







washLėt_®

TOTO CLEANOVATION

Clean gives peace of mind

Clean makes life beautiful

Clean feels refreshing

Clean is caring for people and the planet

Clean brings wellness to everyday life

TOTO innovation brings a new world of clean to life, enriching every moment of every day.







TOTO Design Philosophy

Understated Presence

Our wish is to provide,
as an integral part of everyday life,
enrichment to every person.
Our goal is to design products
with integrity and longevity,
to which people form an attachment over time.

Weaving together spaces that are beautiful and comfortable, and experiences that are pleasant.

This is the TOTO design.

The three elements that bring the TOTO Design Philosophy to life.

Design Elements

Gentle to people

- A part of everyday life
- Offers peace of mind
- Gentle to the human body

Comfortable

- Harmonizes with space
- Pleasant interface between people and objects
- Beautiful appliance

Sincere on Beauty

- Users find it pleasurable
- Retains beauty over time
- Creating a sustainable future

DESIGN AWARD



An internationally renowned design award since 1953.
It is held at iF International Forum Design GmbH in Hannover, Germany.
Products whose aesthetics, functionality, and innovativeness have been strictly examined and recognized by design experts.



NEOREST W















An interrnationally renowned design award since 1955. Held at Design Zentrum

Nordrhein Westfalen in Essen, Germany. Products that have been strictly examined and recognized by design experts against standards of innovativeness, functionality, quality, and so forth.











PVD Matte Black Fittings

























best of the best

Awarded to especially exceptional products among Red Dot awardees, with a less than 2% chance of winning.





Hosted by American Chicago Athenaeon architectural design and European architecture Design City Research Center in Ireland. A global environmental award that began in 2009 with the aim of reforming awareness through sustainable design.











**Product Image





CONTENTS

INTRODUCTION

- 18 ICON GUIDE
- 0 NEOREST® PURE LUXUR
- 24 NEOREST® LINE U

CLEAN TECHNOLOGY

- 28 ACTILIGH
- 0 EWATER+ for BOW
- 32 FWATER+ for WAI
- 34 EWATER+ for UNDER SEA
- 6 CEFIONTECT / PREMIST
- 38 TORNADO FLUSH / RIMLES

CLEANSING TECHNOLOGY

AIR-IN WONDER-WAV

COMFORT TECHNOLOGY

46 COMFORT TECHNOLOGY
AUTO OPEN / CLOSE LID
SOFT LIGHT
HEATED SEAT
DEODORIZER
AUTO FLUSH

SUSTAINABILITY

0 HYBRID ECOLOGY SYSTER

SMART TOILETS

- 52 NEOREST® NX2 / NEOREST® N
- b6 NEORESI⊗W
- 0 NEOREST⊗L
- 64 NEOREST®AS
- 6 NFOREST®R
- 70 HOW THE REMOTE CONTROL WORKS

NEOREST_® SERIES

- COMPARISON CHAR
- PRODUCT CONTEN

016

18 / 19 INTRODUCTION

INTRODUCTION

ICON GUIDE

TOILET & LAVATORY

ACTILIGHT



Photocatalytic glaze, the ultimate cleaning technology has the natural power to decompose waste.

EWATER+



Mists the wand, toilet bowl and the underneath of the seat with electrolyzed water keeping them clean to reduce the need for harsh chemicals.

CEFIONTECT



Ultra-smooth ceramic glaze leaves nowhere for waste to cling

PREMIST



A film of water keeps waste from clinging onto the toilet boy

TORNADO FLUSH



360° cleaning nower reaches every snot using less water

RIMLESS



The RIMLESS design not only leaves no place for waste and germs to hide

AIR-IN WONDER-WAVE



The precise, pleasant, air rich stream keeps you clean

LINEARCERAM



Material used for lavatories that achieves an extremely thin design yet two times a strong as standard fireclay.

COMFORT TECHNOLOGY

AUTO FUNCTIONS



Product featuring integrated and automated sensor-activated functions.

HEATED SEAT



The moment you approach the toilet, the seat begins to rapidly warm up to a comfortable temperature.

DEODORIZER



Highly- effective deodorizing automatically takes place inside the toilet bow both during and immediately after use, eliminating unwanted odors.

WARM AIR DRYING



The individually adjustable dryer follows the warm water spray to ensure a dry clean overall feeling.

FAUCET

SOFT FLOW



Elegant streams of water gently touch skin.

A premium calming experience. Soft and soothing.

BATH TUB

ZERO DIMENSION



ZERO DIMENSION bathing offers freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.

HYDROHANDS



Deeply stimulating water massage gives the feeling of real hands neading tired muscles.

DESIGN AWARDS



The Red Dot is an award for high-quality design an international jury only awards this sought-after seal of quality to products that feature outstanding design



and aesthetic quality, as well as user-focused, ergonomic and efficient design in all disciplines among companies around the world










28 / 29 CLEAN TECHNOLOGY




Photocatalytic glaze, the ultimate cleaning technology, has the natural power to decompose waste.



CLEAN Light and the extraordinary surface treatment enable easy removal of even microscopic debris and particles.


State-of-the-art materials

CLEAN Light and the extreme hydrophilic surface of the toilet bowl combine to attract water to the surface and keep the surface clean after use.




Operates 24 hours a day to maintain clean conditions

CLEAN Light and the extreme hydrophilic surface of the toilet bowl combine to make it easy to wash waste away and keep the toilet bowl surface clean.



CLEAN SYNERGY





EWATER+

WASHES THE TOILET BOWL, WHERE WASTE TENDS TO ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMENANT.

Using no chemicals or cleaning agents, EWATER+ leaves microscopic waste no place to hide and provides everyday peace of mind.



How EWATER+ Cleans

PREMIST, a fine mist of water is sprayed inside the toilet





Since waste is less able to adhere to a wet surface, it is more easily washed away





EWATER+ is applied to wash the wand and toilet bowl and remove waste









Before use → During use -→ After use — → During standby



Uses no detergents






32 / 33 CLEAN TECHNOLOGY CLEAN TECHNOLOGY

CLEAN SYNERGY





EWATER+

AFTER EACH USE,
THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside thewand as well as all around the exterior.

Even when the toilet is not being used, the wand periodically washes itself to ensure constant clean conditions.



Self-Cleaning Mechanism




Always Keeping Conditions Clean

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self cleaning, you will appreciate how easily you can reach it and wipe it spotless.



CLEAN SYNERGY







EWATER+

EWATER+ IS SPRAYED ON THE EASILY FOULED FRONT SECTION OF THE BACKSIDE OF THE TOILET SEAT.

This helps suppress urine and other waste from becoming yellow stains, for long-lasting cleanliness. A quick manual spray before cleaning allows you to remove waste with a light wipe.





Survey: Evaluation of waste on the front section of the backside of the toilet seat with and without use of EWATER+

Usage conditions: A number of uses equivalent to usage for two weeks by a family of four (without cleaning)

*Results vary according to usage and environmental conditions. All data collected by TOTO. The dotted lines in the figure show the area over with EWATER+ is sprayed.

How EWATER+ Cleans

PREMIST, a fine mist of water is sprayed inside the toilet

Since waste is less able to adhere to a

wet surface, it is more easily washed away

After you step away from the toilet, EWATER+ is sprayed in the toilet bowland underneath the toilet seat, after which the lid automatically closes

EWATER+ is automatically sprayed 8 hours after the














ightarrow During use $\,$

→ After use ——

EWATER+ reaches underneath the toilet seat.

EWATER+ is sprayed throughout the toilet bowl, with large droplets covering the bowl surface and small droplets carried by air currents reaching the front section of the backside of the toilet seat



36/37 CLEAN TECHNOLOGY CLEAN TECHNOLOGY

CLEAN SYNERGY

CEFIONTECT





PREMIST



CEFIONTECT

IS AN ULTRA SMOOTH CERAMIC GLAZE THAT COATS THE TOILET BOWL.

Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.

Eliminating the microscopic gaps where waste hides

Conventional ceramic may appear perfectly smooth to the eye, but it has gaps where waste particles can hide.

At just one millionth of a millimeter,


CEFIONTECT's surface ridges are much tinier than waste particles.





What makes CEFIONTECT so durable?

A glass layer is burned over the conventional glaze layer, making CEFIONTECT an extremely durable material.



CEFIONTECT toilet micrograph *1Qm=0.001mr

Water has a strong affinity to CEFIONTECT

Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.





PREMIST

To ensure waste washes away easily, a film of water keeps waste from clinging onto the toilet bowl.

PREMIST automatically sprays water over the surface of the inner toilet bowl before every use.

Due to the ceramic's hydrophilic nature, waste washes away more easily.










CLEAN SYNERGY








RIMLESS



TORNADO FLUSH

NOT ONLY CLEANS MORE EFFECTIVELY, IT DOES SO QUIETLY USING LESS WATER.



Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.

Powerful washing where waste can easily accumulate

TORNADO FLUSH's dynamic waterjet discharges from near the front of the toilet bowl, travels in a narrow channel along a hairpin curve, and with sustained water pressure thoroughly cleanses the areas where waste accumulates most easily to wash the entire bowl clean. The exquisitely-designed, high-quality ceramic bowl makes this innovative design possible.

RIMLESS


The RIMLESS design not only leaves no place for waste to hide, it also makes it much easier to clean the toilet.





42 / 43 CLEANSING TECHNOLOGY CLEANSING TECHNOLOGY






AIR-IN WONDER-WAVE

AIR RICH WATER DROPLETS TO PRODUCE A MORE COMFORTABLE WASHING SENSATION AND DELIVER MORE THOROUGH CLEANSING WITH LESS WATER CONSUMPTION.

Even more, water is warmed instantly as needed, so you need never worry about running out of warm water.

How AIR-IN WONDER-WAVE works

AIR-IN WONDER-WAVE technology is a precise and pleasant air-rich stream that keeps you clean. As water droplets are fired at different speeds, small droplets collide with larger ones, combining and expanding as they fill with more air. The injection of air enlarges the water droplets by approximately 30%



Select the type of cleansing you desire.



NEOREST® NX2, NX1, LE, AH and RH Remote Control



REAR CLEANSING

Large air-filled water droplets pr ovide a comfortable sensation and complete cleansing with minimal water use.



SOFT REAR CLEANSING

Plentiful showers of water provide a gentle sensation and complete cleansing over a wide area.



FRONT CLEANSING

A gentle dispersion of large water droplets ensures intimate cleansing in the most comforting way.




WIDE FRONT CLEANSING

Showers of small water drioplets reach a wide area, ensuring a gentle sensation for sensitive skin.

CLEANSING SPRAY PATTERNS


HOW AIR-IN WONDER-WAVE WORK

As water is fired at different speeds, small droplets collide with larger ones, combing and expanding as the droplets fill with more air. The injection of air englarges water droplet by around 30%












for complete cleansing over a wider area.









Gentle dispersion of large water droplets ensure intimate cleansing in the most comforting way



Shower of small water droplets reaches a wider area giving a gentle coddling sensation to sensitive skin.








Oscillating Cleansing


The back-and-forth movement of the wand ensures thorough cleansing of the entire area.



Pulsating Cleansing

Rhythmically pulsating stream of cleansing







Wand Position Adjustment

You can easily set the wand position according to your preference.

Select from five levels of water pressure





COMFORT TECHNOLOGY

For greater performance and hygiene in the bathroom



AUTO OPEN / CLOSE LID



Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.



SOFT LIGHT

Subdued lighting switches on when the toilet is approached, so users don't have to be exposed to bright bathroom lights at night.



HEATED SEAT



The moment you approach the toilet, the seat begins to rapidly warm up to a comfortable temperature.



DEODORIZER




Highly-effective deodorizing automatically takes place inside the toilet bowl both during and immediately after use, eliminating unwanted odors.



AUTO FLUSH



No need to touch buttons or the handle and never worry about someone forgetting to flush — it's automatic after each use.



WARM AIR DRYING




Enjoy the ease and comfort of the temperature-adjustable warm-air dryer.



Ultra-powerful water conservation. Flushes waste completely every time — no matter where the toilet is located.

HYBRID ECOLOGY SYSTEM

HYBRID ECOLOGY SYSTEM combines two innovative water streams—one from the plumbing system and one from a small tank inside the toilet—to maximize flushing efficiency. Using minimal water, HYBRID ECOLOGY SYSTEM is so effective at removing waste that a second flush is never required. What's more, the flushing power remains strong regardless of how high up in a building the toilet is located.



CLEAN SYNERGY means eco-friendly

CLEAN SYNERGY technologies offer a sustainable way to maintain sanitary conditions inside your toilet. Since waste does not accumulate and create stains, there is less need for manual cleaning with detergents.





Sustainable cleaning

WASHLET sprays the non-porous ceramic bowl with EWATER+, to help prevent the buildup of microscopic waste. Free of chemicals and cleaning agents, EWATER+ returns to the water cycle as pure H₂O.

52/53 SMART TOILETS SMART TOILETS



NEOREST.

NX2

CS901KVT CS901VT

with ACTILIGHT





NEOREST

NX1

CS900KVT CS900VT





468W x 800D x 565H mm Size:

Rough-in: 305mm 3.8L / 3L Water Use:

Body Color: White with Brushed Nickel,

White with French Gold,

White with Silver

Remote Control: Brushed Nickel, Color French Gold,

Silver




















55 SMART TOILETS





SMART TOILETS

NEOREST₈

WX









CW927PZT / TCF95380GAA

Tornado Flush Flush system: 4.5L / 3.0L Water Use: Rough-in: H=220mm

Bowl Shape: Elongated

Size: 449W*675D*447H mm

White Body Color: Remote Control: Silver

Color

























60 / 61 SMART TOILETS SMART TOILETS

NEOREST®

LS







CS911VT / TCF87320GAA CS911VT / TCF87220GAA CS911VT / TCF87120GAA

Flush system: Tornado Flush
Water Use: 3.8L / 3.0L
Rough-in: 305mm (S-Trap)

CS911PVT / TCF87320GAA CS911PVT / TCF87220GAA CS911PVT / TCF87120GAA

Flush system: Tornado Flush Water Use: 4.5L / 3.0L

Rough-in: 120~130mm (P-Trap)

Bowl Shape: D-Shape

Size: 411W*725D*497H mm

Body Color with: White with Nickel,

Frame Cover White with Black,

White with Silver Remote Control: Nickel,

Color Black, Silver























CS911VT / TCF87320GAA

CS911PVT / TCF87320GAA



CS911VT / TCF87220GAA

CS911PVT / TCF87220GAA



CS911VT / TCF87120GAA |

CS911PVT / TCF87120GAA

62 / 63 SMART TOILETS

An expression of refined elegance



An impression of contemporary sophistication



NEOREST.

AS







CS921VT / TCF85510GAA

Flush system: Tornado Flush Water Use: 3.8L / 3.0L Rough-in: 305mm (S-Trap)

CS921PVT / TCF85510GAA

Flush system: Tornado Flush 4.5L / 3.0L Water Use:

120~155mm (P-Trap) Rough-in:

Bowl Shape: Elongated

Size: 386W*692D*512H mm

White Body Color: Remote Control: Silver

Color





















NEOREST₈

RS





CS921VT / TCF83410GAA

Flush system: Tornado Flush Water Use: 3.8L / 3.0L Rough-in: 305mm (S-Trap)

CS921PVT / TCF83410GAA

Tornado Flush Flush system: Water Use: 4.5L / 3.0L

120~155mm (P-Trap) Rough-in:

Elongated

Bowl Shape:

Size: 386W*690D*515H mm

Body Color: White Remote Control: White

Color

















68 / 69 SMART TOILETS





069

70 / 71 SMARTTOILETS SMARTTOILETS

HOW THE REMOTE CONTROL WORKS

Easy and Convenient to Use.

NEOREST. LS, WX and AS models





- (1) **Full flush** Performs a full flush.
- 2 Light flush Performs a light flush.
- (3) **Wand clean** Cleans the wand with "EWATER+".
- 4 **Personal setting lock** Store your preferred "Water pressure", "Wand position" and "Warm water temperature" settings.
- 5 **Opening and closing the toilet seat** Opens and closes the toilet seat.
- 6 Opening and closing the toilet lid Opens and closes the toilet lid.
- **Topping** Stops operation.
- 8 Rear cleansing Cleanses your rear.
- 9 **Soft rear cleansing** Cleanses your rear with a soft, embracing water flow.
- (10) Front cleansing Serves as a bidet for ladies.
- 11) Wide front cleansing Gently cleanses a wide area.
- 12) Water pressure adjustment You can make a selection from 5 different water pressure levels.
- Wand position adjustment You can make a selection from 5 different wand position levels.
- (4) Warm air drying Dries your rear.
- (15) **Oscillate** The wand moves back and forth for a thorough cleanse.
 - Pulsate Water pressure alternates between soft and strong for a massage effect.




70

72/73 SMART TOILETS SMART TOILETS

HOW THE REMOTE CONTROL WORKS

Easy and Convenient to Use.

NEOREST



- 1) Full flush Performs a full flush.
- 2 **Light flush** Performs a light flush.
- 3 Wand clean Cleans the wand with "EWATER+".
- 4 **Personal setting lock** Store your preferred "Water pressure", "Wand position" and "Warm water temperature" settings.
- 5 **Opening and closing the toilet seat** Opens and closes the toilet seat.
- 6 Opening and closing the toilet lid Opens and closes the toilet lid.
- **Stopping** Stops operation.
- 8 Rear cleansing Cleanses your rear.
- 9 **Soft rear cleansing** Cleanses your rear with a soft, embracing water flow.
- (10) Front cleansing Serves as a bidet for ladies.
- 11) Water pressure adjustment You can make a selection from 5 different water pressure levels.
- Wand position adjustment You can make a selection from 5 different wand position levels.
- ⁽³⁾ Warm air drying Dries your rear.
- (4) Oscillate The wand moves back and forth for a thorough cleanse.

Pulsate Water pressure alternates between soft and strong for a massage effect.

0.072

COMPARISON CHART

\	IEOREST	NEOREST NX II	NEOREST NX II	NEOREST NX I	NEOREST NX I	
	OMPARISON CHART					
R	EMOTE CONTROL	French Gold	Nickel	Silver	Nickel	
PI	RODUCT CODE	CS901VT	CS901KVT	CS900VT	CS900KVT	
	AIR-IN WONDERWAVE	•	•	•	•	
	REAR CLEANSING	•	•	•	•	
	SOFT REAR CLEANSING	•	•	•	•	
	FRONT CLEANSING	•	•	•	•	
٥	WIDE FRONT CLEANSING	•	•	•	•	
CLEANSING	OSCILLATING CLEANSING	•	•	•	•	
ಶ	PULSATING CLEANSING	•	•	•	•	
	INSTANTANEOUS WATER HEATING	•	•	•	•	
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	
	WAND POSITION ADJUSTMENT	•	•	•	•	
AIR	AIR PURIFIER (DEODORIZER)	•	•	•	•	
	WARM AIR DRYING	•	•	•	•	
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	
-	HEATED SEAT	•	•	•	•	
	HEATED SEAT - TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	
Š	INSTANT HEATED SEAT	•	•	•	•	
	SoftClose® SEAT AND LID	•	•	•	•	
	SEAT SENSOR	•	•	•	•	
5	AUTOMATIC LID OPEN & CLOSE	•	•	•	•	
SENSOR	AUTOMATIC FLUSH	•	•	•	•	
	SOFT LIGHT	•	•	•	•	
CONTROL	REMOTE-CONTROLLED SEAT	•	•	•	•	
	ACTILIGHT®	•	•	_	_	
	♦ CEFIONTECT®	•	•	•	•	
	♦ EWATER+® For Bowl	•	•	•	•	
	€ EWATER+® For Wand	•	•	•	•	
	EWATER+® Under Seat	_	_	_	_	
	PREMIST®	•	•	•	•	
	RIMLESS	•	•	•	•	
	BOWL CLEANING MODE	•	•	•	•	
	WAND CLEANING MODE	•	•	•	•	
	SELF-CLEANING WAND	•	•	•	•	
	ANTIBACTERIAL SURFACE	•	•	•	•	
Σ	FLUSHING TYPE	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUS	
213	WATER USE	3.8L/3.0L	3.8L/3.0L	3.8L/3.0L	3.8L/3.0L	
	ENERGY- SAVING TIMER	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	
ر الار	AUTO ENERGY SAVER	•	•	•	•	
SAVING	ON/OFF BUILTON		_			

ilver	Nickel	Black	Silver	Silver	• ÿ. 4, d 5 • • • • • • • • • • • • • • • • • • •
W927PZT / TCF95380GAA	CS911VT / TCF87320GAA CS911PVT / TCF87320GAA*	CS911VT / TCF87220GAA CS911PVT / TCF87220GAA*	CS911VT / TCF87120GAA CS911PVT / TCF87120GAA*	CS921VT / TCF85510GAA CS921PVT / TCF85510GAA*	CS921VT / TCF83410GAA CS921PVT / TCF83410GAA*
•	•	•	•	•	_
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	_
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	_	_
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
_	_	_	_	_	_
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	_
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
TORNADO FLUSH	FORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH
4.5L/3.0L	3.8L/3.0L 4.5L/3.0L*	3.8L/3.0L 4.5L/3.0L*	3.8L/3.0L 4.5L/3.0L*	3.8L/3.0L 4.5L/3.0L*	3.8L/3.0L 4.5L/3.0L*
6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS

074

ON/OFF BUTTON

NEORESTIXI CS901KVT

> Hybrid Ecology System Flush System: Tornado Flush (3.8L / 3L)

Smart Toilet

Bowl Shape: Elongated 305mm (S-Trap) Rough-in: Color: Remote Controller Brush Nickel

468W*800D*565H mm Size:

CLEAN SYNERGY 💸 🖁 🕻 🚳 🕤





NEW NEOREST WX

CW927PZT / TCF95380GAA

Concealed Tank: WH175AAT

Flush Panel: MB177M

Wall Hung Smart Toilet

Flush System: Tornado Flush (4.5L / 3L)

Bowl Shape: Elongated Rough-in: 220mm (P-Trap) Color: Remote Controller -

Silver 449W*675D*447H mm







NEORESTIXI CS901VT

ACTILIGHT

ACTII IGHT

Smart Toilet

Hybrid Ecology System Flush System: Tornado Flush (3.8L / 3L)

Bowl Shape: Elongated Rough-in: 305mm (S-Trap) Color: Remote Controller French Gold

Size: 468W*800D*565H mm









NEOREST LS

CS911VT / TCF87320GAA Flush system:

Tornado Flush (3.8L / 3L) Rough-in: 305mm (S-Trap)

CS911PVT / TCF87320GAA

Flush system: Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 130mm (P-Trap) **Smart Toilet**

Hybrid Ecology System Bowl Shape: D-Shape Remote Controller Color:

WASHLET Frame Cover: Nickel

411W*725D*497H mm









NEORESTINXI

CS900KVT

Hybrid Ecology System Flush System: Tornado Flush (3.8L / 3L) Bowl Shape: Elongated 305mm (S-Trap)

Rough-in: Color: Size:

Smart Toilet

Remote Controller -Brush Nickel 468W*800D*565H mm











NEOREST LS

CS911VT / TCF87220GAA Flush system:

Tornado Flush (3.8L / 3L) Rough-in: 305mm (S-Trap)

CS911PVT / TCF87220GAA Flush system:

Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 130mm (P-Trap) **Smart Toilet**

Hybrid Ecology System Bowl Shape: D-Shape Remote Controller: WASHLET Frame Cover:

Black 411W*725D*497H mm Size:











NEORESTINXI CS900VT

Smart Toilet

Hybrid Ecology System Flush System: Tornado Flush (3.8L / 3L)

Bowl Shape: Elongated Rough-in: 305mm (S-Trap) Color: Remote Controller -

468W*800D*565H mm Size:









NEORESTLS CS911VT / TCF87120GAA

Flush system: Tornado Flush (3.8L / 3L) Rough-in: 305mm (S-Trap)

CS911PVT / TCF87120GAA

Flush system: Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 130mm (P-Trap) Smart Toilet

Hybrid Ecology System Bowl Shape: D-Shape Remote Controller Color: WASHLET Frame Cover:

411W*725D*497H mm Size:



GOOD COTTEN CANADO CONTROL CANADO CO

NEOREST

079



NEORESTAS

CS921VT / TCF85510GAA

Flush system: Tornado Flush (3.8L / 3L) Rough-in: 305mm (S-Trap)

CS921PVT / TCF85510GAA

Flush system: Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 155mm (P-Trap)

Smart Toilet

Hybrid Ecology System Bowl Shape: Elongated Remote Controller -

Silver 386W*692D*512H mm









NEORESTRS

CS921VT / TCF83410GAA

Flush system: Tornado Flush (3.8L / 3L) Rough-in: 305mm (S-Trap)

CS921PVT / TCF83410GAA

Flush system: Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 155mm (P-Trap)

Smart Toilet

Hybrid Ecology System Bowl Shape: Elongated Remote Controller -Size: 386W*690D*515H mm














CLEANSING SPRAY PATTERNS



Large air-filled water droplets offer com-

plete cleansing and a comfortable sensa-tion with minimal water use





Rear Soft Cleansing

Plentiful shower of water gives a gentle sensation for complete cleansing over a wider area.








Gentle dispersion of large water droplets ensure intimate cleansing in the most comforting way



Wide Front Cleansing


Shower of small water droplets reaches a wider area giving a gentle coddling sensation to sensitive skin.





Oscillating Cleansing

The back-and-forth movement of the wand ensures thorough cleansing of the entire area.





Pulsating Cleansing


Rhythmically pulsating stream of cleansing warm water.







You can easily set the wand position according to your preference.





+ — Wand Pressure Adjustment

Select from five levels of water pressure

A variety of washing functions that cater to the convenience and mood of each individual

DESIGN washlė́τ₀ + / washlė́τ₀



Toilet and WASHLET combinations that are beautiful from any angle.

Making it possible to pursue beautiful design, WASHLET+is a new series of toilet and WASHLET combinations that use a TOTO proprietary system to conceal WASHLET water supply hose and electrical cord inside.







and lid creates a seamless design that fits any space.

washlė́T₀+/washlė́T₀ **WASHLET+ AUTOMATED HOSPITALITY**



Before use






AUTO OPEN / CLOSE LID

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

SOFT LIGHT





While sitting







The moment you approach the toilet, the seat begins warming to a comfortable temperature.



DEODORIZER

Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odors.



When Standing








No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use.




















WHAT IS EWATER+



EWATER+ is water containing hypochlorous acid that is used for cleaning and other purposes.

Hypochlorous acid is effective in suppressing the growth of bacteria.

Chloride ions contained in water are electrolyzed to create water that contains hypochlorous acid.

Water Electrolization EWATER+ Time passage Go back to water

SUPPRESSES the accumulation of Waste on BOWL

EWATER+ washes the wand and toilet bowl where waste tend to accumulate and produce stains that can become permanent. Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic stains has no place to hide.





Survey: Study the effectiveness of EWATER+ by comparing the state of cleanliness of toilets that receive no cleaning versus toilets that are self-cleaned with EWATER+. No additional cleaning was allowed. Survey period: One month (Feb. - Mar. 2017). Subjects: Families of four. *Results vary according to usage and environmental conditions. All data collected by TOTO.

How EWATER+ cleans

Before use





PREMIST, a fine mist of ordinary water is sprayed inside the toilet


During use




Since waste is less able to adhere to a wet surface, it is more easily washed away

After use





bowl and remove waste






EWATER+ is automatically sprayed 8 hours after the last use

CLEANLINESS CLEAN SYNERGY Washlet.



SUPPRESSES the accumulation of Waste on WAND

Before and after each use, the wand automatically washes itself with EWATER + . This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically cleans itself to ensure constant hygienic conditions.





Survey: Study the effectiveness of EWATER+ by comparing the state of cleanliness of wands self-cleaned with EWATER+ versus those that are not. No additional cleaning was allowed.
Survey period: Two months (Sep. - Oct. 2017).
Subjects: Families of four.
*Results vary according to usage, environmental conditions, and product type. All data collected by TOTO

Antibacterial self-cleaning inside the mechanism, too




with EWATER+

Always Keeping Conditions Clean

Made of high-quality waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless.









CLEAN MATERIAL

EWATER+


High-quality resin repels waste and dirt and resists staining, keeping surfaces clean.



Ultra-smooth ceramic leaves nowhere for waste to cling.

CEFIONTECT is an ultra-smooth ceramic glaze that coats the toilet bowl. Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.






To ensure waste washes away easily, a film of water keeps waste from clinging to the toilet bowl.

PREMIST automatically sprays water over the surface of the inner toilet bowl before every use. Due to the ceramic's hydrophilic nature, waste washes away more easily.





360° cleaning power reaches every spot using less water.

TORNADO FLUSH not only cleans more effectively, it does so quietly using less water. Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.



The RIMLESS design not only leaves no place for waste and germs to hide. It also makes for a much easier to clean toilet



washLėt_® +



BENEFITS & TECHNOLOGIES

CLEAN SYNERGY











RIMLESS







EWATER + For WAND



EWATER For BOV












AUTO FLUSH







DEODORIZER



WATER SAVING

- SELF CLEANING WAND
- WIDE FRONT CLEANSING
- WAND POSITION ADJUSTMENT
- AUTO ENERGY SAVER

- REAR CLEANSING
- OSCILLATING CLEANSING
- WATER PRESSURE ADJUSTMENT
- MAIN UNIT ONE-TOUCH REMOVAL

- REAR SOFT CLEANSING
- PULSATING CLEANSING
- WARM AIR DRYING
- FRONT CLEANSING
- CLEAN RESIN
- SOFT LIGHT





Concealed Connection without Auto Flush MS636CDRV

One Piece Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L)

Bowl Shape: Elongated Rough-in: 305mm (S-Trap) One Piece Toilet

498W*740D*670H mm WASHLET S7

383W*532D*125H mm







Concealed Connection without Auto Flush

C769CE / S986GE TCF4911EZ

Concealed Connection with Auto Flush C769CE / S986GE

Concealed Connection without Auto Flush

Concealed Connection

Concealed Connection without Auto Flush

Concealed Connection

Concealed Connection

Concealed Connection with Auto Flush

without Auto Flush

CS767CRV TCF4911EZ

CS767CRV TCF4911EZ TCA440

CS838CDV

TCF4911EZ

CS838CDV

TCF4911EZ

CST948CDV TCF4911EZ

CST948CDV TCF4911EZ TCA438

with Auto Flush

with Auto Flush

TCF4911EZ TCA438

Close Coupled Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

305mm (S-Trap) Rough-in: Close Coupled Toilet

456W*700D*765H mm WASHLET S7 Size: 383W*532D*125H mm

Close Coupled Toilet with WASHLET S7

(4.5L / 3L)

Elongated

Close Coupled Toilet with WASHLET S7

(4.5L / 3L)

Elongated

Close Coupled Toilet with WASHLET S7

(4.5L / 3L)

Elongated

305mm (S-Trap)

445W*717D*698H mm

383W*532D*125H mm

Flush System: Tornado Flush

305mm (S-Trap)

380W*700D*906H mm

383W*532D*125H mm

Flush System: Tornado Flush

305mm (S-Trap)

388W*700D*734H mm

383W*532D*125H mm

Flush System: Tornado Flush

Bowl Shape:

WASHLET S7

Bowl Shape:

WASHLET S7

Bowl Shape:

WASHLET S7

Close Coupled Toilet

Rough-in:

Size:

Close Coupled Toilet

Rough-in:

Close Coupled Toilet

Rough-in:



CLEAN SYNERGY 💸 🛊 🚱 🕥 🕤

GOOD GREEN
GOOD DESIGN
AMARO
2010

GOOD GREEN GOOD DESIGN AMARD 2018

GOOD CREEN
GOOD CERTON
AMARD
2018



Concealed Connection without Auto Flush CW823REA TCF4911EZ

One Piece Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated 305mm (S-Trap) Rough-in:

One Piece Toilet 510W*750D*640H mm

WASHLET S7 Size:

383W*532D*125H mm







Concealed Connection without Auto Flush

C887CRE TCF4911EZ

Concealed Connection with Auto Flush

TCF4911EZ TCA440

One Piece Toilet with WASHLET S7

Flush System: Tornado Flush (4.8L) Bowl Shape: Elongated

Rough-in: 305mm (S-Trap) One Piece Toilet

428W*727D*657H mm WASHLET S7

383W*532D*125H mm











Concealed Connection without Auto Flush C889CDRE TCF4911EZ

Concealed Connection with Auto Flush

C889CDRE TCF4911EZ TCA438

One Piece Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated 305mm (S-Trap) Rough-in: One Piece Toilet

387W*700D*699H mm WASHLET S7

383W*532D*125H mm





GOOD GREEN GOOD DESIGN AMARIO 2018



Concealed Connection without Auto Flush C885CDE

One Piece Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Elongated

Bowl Shape: 305mm (S-Trap) Rough-in: One Piece Toilet

387W*701D*645H mm WASHLET S7

383W*532D*125H mm





Concealed Connection without Auto Flush CS769CDRV

TCF4911EZ **Concealed Connection**

with Auto Flush

CS769CDRV TCF4911EZ TCA438

Close Coupled Toilet with WASHLET S7

Tornado Flush (4.5L / 3L) Bowl Shape: Elongated Rough-in:

305mm (S-Trap) Close Coupled Toilet 396W*700D*748H mm

WASHLET S7 383W*532D*125H mm





102

FITTINGS & SHOWERS

Concealed Connection without Auto Flush

CW542HME5UNW1 TCF801CZ WH172AT

Concealed Connection

CW542HME5UNW1 TCF802C2Z WH172AAT

Wall Hung Toilet with WASHLET RW

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: D-Shape . 220mm (P-Trap)

Rouah-in: Wall Hung Toilet

380W*580D*335H mm WASHLET RW 383W*579D*108H mm









Concealed Connection without Auto Flush CW522HME5UNW1 TCF803CZ WH172AT

Concealed Connection with Auto Flush

CW522HME5UNW1 TCF804C2Z WH172AAT

Wall Hung Toilet with WASHLET SW

(4.5L / 3L)

Flush System: Tornado Flush

Bowl Shape: Square Shape Rough-in: 220mm (P-Trap) Wall Hung Toilet

WASHLET SW 383W*579D*108H mm

380W*580D*335H mm









Concealed Connection without Auto Flush

CW542HME5UNW1 TCF794CZ WH172AT

Concealed Connection with Auto Flush CW542HME5UNW1 TCF795C2Z

Wall Hung Toilet with WASHLET RX

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: D-Shape

220mm (P-Trap) Rough-in: Wall Hung Toilet

380W*580D*335H mm WASHLET RX

383W*579D*146H mm











Concealed Connection

CW522HME5UNW1 TCF796CZ WH172AT

Concealed Connection with Auto Flush CW522HME5UNW1 TCF797C2Z WH172AAT

Wall Hung Toilet with WASHLET SX

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Square Shape Rough-in: 220mm (P-Trap)

Wall Hung Toilet 380W*580D*335H mm Size: WASHLET SX 383W*579D*146H mm









Concealed Connection without Auto Flush

CW553EA TCF34570GAA WH172AT TCA465

Concealed Connection with Auto Flush

CW553EA TCF34570GAA WH172AAT TCA502 Wall Hung Toilet with WASHLET S5

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: D-Shape 220mm (P-Trap) Rough-in:

Wall Hung Toilet 380W*540D*335H mm WASHLET S5

383W*540D*130H mm



Concealed Connection Wall Hung Toilet with WASHLET S2 without Auto Flush

CW553EA Flush System: Tornado Flush TCF33370GAA WH172AT Bowl Shape: D-Shape Rough-in:

220mm (P-Trap) Wall Hung Toilet 380W*540D*335H mm

WASHLET S2 462W*540D*130H mm Size:

(4.5L / 3L)





Concealed Connection without Auto Flush

CW812REA TCF4911EZ WH172AT TCA465

Concealed Connection with Auto Flush

CW812REA TCF4911EZ WH172AAT TCA502

Concealed Connection without Auto Flush

CW822REA

Wall Hung Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated Rough-in: 220mm (P-Trap)

Wall Hung Toilet 380W*595D*335H mm WASHLET S7

383W*532D*125H mm







TCF4911EZ WH172AT TCA465

Concealed Connection with Auto Flush

CW822REA TCF4911EZ WH172AAT TCA502

Wall Hung Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

220mm (P-Trap) Rough-in: Wall Hung Toilet

380W*540D*330H mm WASHLET S7 383W*532D*125H mm









MS971V / TCF9433A Rough-in: 305mm (S-Trap)

MS971PV/ TCF9433A Rough-in: 180mm (P-Trap) WASHLET G2 Smart Toilet

Tornado Flush Flush System: (4.5L / 3L) Bowl Shape: Elongated Smart Toilet

Size:

391W*728D*684H mm



104

PRODUCT NAME				WASH	LET RW	WASH	LET SW	WASHLET RX		
PF	PRODUCT IMAGE									
М	ODEL NUMBER			TCF801CZ	TCF802C2Z	TCF803CZ	TCF804C2Z	TCF794CZ	TCF795C2Z	
ВС	DWL SHAPE			D-SHAPE	D-SHAPE	SQUARE SHAPE	SQUARE SHAPE	D-SHAPE	D-SHAPE	
	FLUSH / VALVE KIT TOILET	AUTO FLUSH KIT	STOP VALVE KIT			 			 	
	CW522HME5UNW1	WH172AAT *1	WH172AT *2	-	-	0	•	-	-	
(0	CW542HME5UNW1	WH172AAT *1	WH172AT *2	0	•	-	-	0	•	
WALL HUNG	CW553EA	WH172AAT *1 TCA502	WH172AT *2 TCA465	_	_	-	_	_	_	
>	CW812REA	WH172AAT *1 TCA502	WH172AT *2 TCA465	-	_	-	_	_	-	
	CW822REA	WH172AAT *1 TCA502	WH172AT *2 TCA465	-	_	-	-	-	_	
	MS636CDRV	-	-	-	_	-	_	_	-	
	CW823REA	-	-	-	_	-	_	-	_	
ONE PIECE	C889CDRE	TCA438	-	-	_	-	_	_	_	
O	C887CRE	TCA440	-	-	-	-	-	-	-	
	C885CDE	_	-	-	-	-	-	-	_	
	C769CE / S986GE	TCA438	-	-	_	-	_	_	_	
<u> </u>	CS838CDV	TCA438	-	-	_	_	_	_	_	
CLOSE COUPLED	CST948CDV	TCA438	-	-	_	_	_	_	_	
CLO	CS767CRV	TCA440	-	-	_	_	_	_	_	
	CS769CDRV	TCA438	-	_	-	-	_	-	-	

1	Inclusive of	Auto	Flush	kit	
_					

^{*2} Inclusive of Stop Valve kit

\\/\CL	LET SX	WASH.	LET S7	WASHLET S5	WASHLET S2	WASHLET C5	WASHLET C2
		WASH	LEI 37	WASHLET 33	WASHLET 32	WASHLET CS	WASFILET CZ
TCF796CZ	TCF797C2Z	TCF4911EZ	TCF4914EZ	TCF34570GAA	TCF33370GAA	TCF24460AAA	TCF23460AAA
SQUARE SHAPE	SQUARE SHAPE	ELONGATED	ELONGATED	D-SHAPE	D-SHAPE	ELONGATED	ELONGATED
0	•	-	_	-	_	_	_
-	-	-	_	_	-	-	-
-	-	-	-	• 0	0	-	_
-	-	• 0	• 0	-	-	0	0
-	-	• 0	• 0	_	-	0	0
-	-	0	0	-	_	-	-
-	-	0	0	-	-	-	-
-	-	• 0	• 0	-	-	0	0
-	-	• 0	• 0	-	-	0	0
-	-	0	0	_	-	0	0
-	-	• 0	• 0	_	-	0	0
-	-	• 0	• 0	-	-	0	0
-	_	• 0	• 0	-	-	0	0
-	-	• 0	• 0	_	-	0	0
-	_	• 0	• 0	_	_	0	0

washlėt_®



BENEFITS & TECHNOLOGIES

CLEAN SYNERGY























EWATER+ For BOWL







AUTO OPEN / CLOSE LID















WATER SAVING

- SELF CLEANING WAND
- WIDE FRONT CLEANSING
- WAND POSITION ADJUSTMENT
- AUTO ENERGY SAVER

- REAR CLEANSING
- OSCILLATING CLEANSING
- WATER PRESSURE ADJUSTMENT
- MAIN UNIT ONE-TOUCH REMOVAL

- REAR SOFT CLEANSING
- PULSATING CLEANSING
- WARM AIR DRYING
- FRONT CLEANSING
- CLEAN RESIN
- SOFT LIGHT





WASHLET RW

Bowl Shape: 0.05MPa~0.75MPa Water Pressure: Power Rating: 826~837W 0.9m

Length of: Power Cord 220~240V, 50/60Hz,

383W*579D*108H mm

Square Shape

826~837W

0.05MPa~0.75MPa

220~240V, 50/60Hz,









TCF803CZ (Concealed Connection)

TCF804C2Z (Concealed Connection w/ Auto Flush)

Power Rating: Lenath of:

0.9m Power Cord Size: 383W*579D*108H mm

WASHLET SW

Bowl Shape:

Water Pressure:

CLEAN SYNERGY (





TCF794CZ (Concealed Connection)

TCF795C2Z (Concealed Connection w/ Auto Flush)

WASHLET RX

Bowl Shape: D-Shape Water Pressure: 0.05MPa~0.75MPa Power Rating: 220~240V, 50/60Hz, 826~837W

0.9m

Lenath of: Power Cord

Size:

CLEAN SYNERGY 🚱







TCF796CZ (Concealed Connection)

TCF797C2Z (Concealed Connection w/ Auto Flush) WASHLET SX Bowl Shape: Water Pressure:

Power Rating:

Length of: Power Cord Size:

826~843W 0.9m

Square Shape

0.05MPa~0.75MPa

220~240V, 50/60Hz,

383W*579D*146H mm

383W*579D*146H mm



CLEAN SYNERGY (6)



TCF4911Z (Non Concealed Connection)

TCF4911EZ (Concealed Connection) WASHLET S7

Bowl Shape: Elongated 0.05MPa~0.75MPa Water Pressure: Power Rating: 220~240V, 50/60Hz, 830~839W

Length of: Power Cord Size:

1.2m 383W*532D*125H mm







TCF4914Z (Non Concealed Connection)

TCF4914EZ (Concealed Connection)

WASHLET S7

Bowl Shape: Elongated Water Pressure: 0.05MPa~0.75MPa Power Rating: 220~240V, 50/60Hz, 830~839W

Lenath of: 1.2m Power Cord Size:

383W*532D*116H mm





TCF34320GAA (Non Concealed Connection)

TCF34570GAA

Bowl Shape: Water Pressure: Power Rating:

> Length of: Power Cord Size:

WASHLET S5

383W*540D*130H mm

0.05MPa~0.75MPa

220~240V, 50/60Hz,

D-Shape

826~837W

1.2m



CLEAN SYNERGY (

TCF33320GAA (Non Concealed Connection)

TCF33370GAA (Concealed Connection) WASHLET S2 Bowl Shape:

Water Pressure: 0.05MPa~0.75MPa Power Rating:

> Length of: Power Cord Size:

828~839W 1.2m 462W*540D*130H mm

220~240V, 50/60Hz,

D-Shape

GOOD GREEN GOOD DESIGN AMARD 2018





TCF24410AAA (Non Concealed Connection)

TCF24460AAA

(Concealed Connection)

Bowl Shape: Water Pressure: 0.05MPa~0.75MPa Power Rating:

Lenath of: Power Cord

WASHLET C2

Bowl Shape:

Power Rating:

WASHLET C5

1.2m

383W*530D*147H mm

220~240V, 50/60Hz,

307~362W



GOOD GREEN GOOD DESIGN AMARD 2018



TCF23410AAA (Non Concealed Connection)

TCF23460AAA

(Concealed Connection)

Length of: Power Cord Size:

472W*530D*147H mm

1.2m

Round

315~371W

Elongated

306~361W

220~240V, 50/60Hz,

Water Pressure: 0.05MPa~0.75MPa





TCF23400AAA (Non Concealed Connection)

WASHLET C2

Bowl Shape: Water Pressure: 0.05MPa~0.75MPa Power Rating:

Length of: Power Cord Size:

472W*483D*147H mm

220~240V, 50/60Hz,



110

111

WASHLET SERIES

OVERVIEW OF WASHLET FUNCTIONS

PRODI	UCT NAME	WASHLET RW / SW		WASHLE	T RX / SX	WASHLET S7	
DDOD	HOTIMACE						
PRODUCT IMAGE							
	D-SHAPE	TCF801CZ	TCF802C2Z	TCF794CZ	TCF795C2Z	-	-
HAPE	SQUARE SHAPE	TCF803CZ	TCF804C2Z	TCF796CZ	TCF797C2Z	-	-
BOWL SHAPE	ELONGATED	-	-		-	TCF4911Z TCF4914Z	TCF4911EZ TCF4914EZ
	ROUND SHAPE		-	-	-	-	-
	AIR-IN WONDERWAVE	-	-	-	-	•	•
SZ	Rear Cleansing	•	•	•	•	•	•
Į	Rear Soft Cleansing	•	•	•	•	•	•
ONO	Front Cleansing	•	•	•	•	•	•
NG P	Wide Front Cleansing	-	-	-	-	•	•
CLEANSING FUNCTIONS	Oscillating Cleansing	•	•	•	•	•	•
CLE	Pulsating Cleansing	•	•	•	•	•	•
	Nozzle Position Adjustment	•	•	•	•	•	•
	Soft Close Seat & Lid	•	•	•	•	•	•
	AUTO OPEN / CLOSE LID	•	•	-	-	•	•
	AUTO FLUSH	-	•	-	•	-	•*
SZ	HEATED SEAT	•	•	•	•	•	•
COMFORT FUNCTIONS	DRYER	•	•	-	-	•	•
JUNC.	DEODORIZER	•	•	•	• =	•	•
ORT	SOFT LIGHT	•	•	-	-	•	•
OMF	Water Heating Type	Instantaneous	Instantaneous	Instantaneous	Instantaneous	Instantaneous	Instantaneous
ŏ	Temperature (Water)	•	•	•	•	•	•
	Water Pressure	•	•	•	•	•	•
	Remote Control	•	•	•	•	•	•
	Personal Setting	•	•	•		•	•
	EWATER+ For Bowl	•	•	-	-	•	•
.	EWATER+ For Nozzle	•	•	•	•	•	•
SNOI	PREMIST	•	•	•	•	•	•
NCT	SELF-CLEANING WAND	•	•	•	•	•	•
JE FU	Self-Cleaning Button	•	•	•	•	•	•
HYGIENE FUNCTIONS	Clean Resin	•	•	•	•	•	•
Ì	Removeable Lid	•	•	-	-	•	•
	One-Touch Removeable Unit	•	•	-	-	•	•
	Antibacterial Surface	•	•	•	•	•	•
ENERGY SAVING	Energy Saver	•	•	•	•	•	•

WASHLI	ET S5	WASHLET S2	WASHLET C5	WASHLET C2	WASHLET C2
TCF34320GAA	TCF34570GAA	TCF33320GAA TCF33370GAA	-		-
			- "	-	-
-			TCF24410AAA TCF24460AAA	TCF23410AAA TCF23460AAA	
	-		-	-	TCF23400AAA
-	-	-	-	-	-
•	•	•		•	•
•	•	•	•	•	•
•	•	•	•	•	•
-	-	-	-	-	-
•	•	•	•	•	•
•	•	-		_	-
•	•	•	•	•	•
-		-		-	
-	•*	-	-	-	-
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	• -	•	•
-	-	-	-	-	-
Instantaneous	Instantaneous	Instantaneous	Tank	Tank	Tank
	•	•	•		•
	•	-		-	-
•	•	-			
-	-		-	-	-
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
	•	•	•		•
	•		•		
	•				
•	•	•	•	•	•





Features



ECOWASHER







Easy remove



TCW1211A

Ecowasher

Elongated / Regular Adjustable

Rear Cleaning & Bidet Seat & Cover (Urea Resin) 380W*509D*105H mm Function: Material:



TCW10S

Ecowasher

Elongated Rear Cleaning & Bidet Seat & Cover (Urea Resin) 380W*533D*105H mm



TCW09S

Ecowasher

D-Shape Rear Cleaning & Bidet Seat & Cover (Urea Resin) 380W*503D*105H mm Bowl Shape: Function: Material:




TCW08S Function: Rear Cleaning & Bidet

TCW07S Function: Rear Cleaning

Ecowasher

Elongated / Regular Adjustable Seat & Cover (PP) 385W*504D*80H mm









BENEFITS & TECHNOLOGIES

CEFIONTECT



TORNADO FLUSH

CLEANLINESS



SUSTAINABILITY



WATER SAVING



MS636DV

One Piece Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

Rough-in: 305mm (S-Trap) 498W*740D*670H mm



C855DE

One Piece Toilet

Flush System: Tornado Flush (4.8L / 3L) Bowl Shape: Elongated Rough-in:

305mm (S-Trap) 417W*695D*630H mm





CW823RA

One Piece Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated Rough-in: 305mm (S-Trap) 510W*750D*640H mm





CW823PJ

One Piece Toilet

Flush System: Wash Down (6L) Bowl Shape: Elongated 180mm (P-Trap) Rough-in: 510W*750D*605H mm



C887RE

One Piece Toilet

Flush System: Tornado Flush (4.8L) Bowl Shape: Elongated Rough-in: 305mm (S-Trap) 428W*727D*657H mm





CW630J

One Piece Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape: Regular Rough-in: 220mm (S-Trap) 374W*690D*705H mm





C889DRE

One Piece Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated 305mm (S-Trap) Rough-in:

387W*700D*699H mm







CW840J

One Piece Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape: Elongated 305mm (S-Trap) Rough-in:

510W*755D*630H mm



DESIGN GREEN 0000 DESIGN AWARD 2016



C885DE

One Piece Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated Rough-in: 305mm (S-Trap) Rough-in: 387W*701D*645H mm







CW895J

One Piece Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape: D-Shape 305mm (S-Trap) Rough-in:

360W*720D*660H mm



120

180mm (P-Trap) / Rough-in: 220mm (S-Trap) 410W*725D*875H mm







CS838DV

Close Coupled Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

Rough-in: 305mm (S-Trap) Size: 388W*700D*734H mm





CW252PJWS / SW252JP/252-8-1

Close Coupled Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: D-Shape Rough-in: 180mm (P-Trap) /

220mm (S-Trap) 396W*690D*839H mm





CST948DV

Close Coupled Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

Rough-in: 305mm (S-Trap) 380W*700D*906H mm









CST761DV

Rough-in: 305mm (S-Trap)

CST761DPV Rough-in: 180mm (P-Trap)



Flush System: Tornado Flush (4.8L / 3L)

Bowl Shape: D-Shape 416W*704D*844H mm







CW920K / SW920K

Close Coupled Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

Rough-in: 305mm (S-Trap) 400W*695D*760H mm









CS767RV

Close Coupled Toilet

Flush System: Tornado Flush (4.8L) Bowl Shape: Elongated 305mm (S-Trap) Rough-in:

445W*717D*698H mm





CW811NPJWS / SW811NJP/811-8-1

Close Coupled Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape: Elongated Rough-in: 180mm (P-Trap)

380W*700D*845H mm





CS769DRV

Close Coupled Toilet

Flush System: (4.5L / 3L) Bowl Shape: Elongated

Rough-in: Size:

305mm (S-Trap) 396W*700D*748H mm







CST940DV Rough-in: 305mm

(S-Trap)

CST940DPV Rough-in: 180mm (P-Trap)

Close Coupled Toilet

Flush System: Wash Down (6L / 3L) Bowl Shape: Elongated

400W*695D*775H mm





CS986GV

Close Coupled Toilet

Flush System: Tornado Flush (4.5L / 3L)

Bowl Shape: Elongated Rough-in: 305mm (S-Trap) 456W*700D*765H mm







CW821JWS / SW821JP

Rough-in: 220mm (S-Trap)

CW821PJWS / SW821JP Rough-in: 180mm (P-Trap)

Close Coupled Toilet

Flush System: Wash Down (6L / 3L)

Bowl Shape: Round 360W*710D*780H mm Size:

123

FITTINGS & SHOWERS



CW635PJWS / SW635JP1/635-8

Close Coupled Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape:

Elongated 220mm (S-Trap) (with THX918) 180mm (P-Trap) (with TX215C) Rough-in:

400W*690D*723H mm



CW635PJWS / SW635JP2/635-8WL

Close Coupled Toilet

Flush System: Wash Down

(4.5L / 3L) Bowl Shape: Elongated

220mm (S-Trap) (with THX918) Rough-in: 180mm (P-Trap) (with TX215C) 410W*690D*723H mm





CW896JWS / SW896JP

Close Coupled Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape:

D-Shape 305mm (S-Trap) Rough-in: Size: 385W*740D*730H mm





CW631JWS / SW631JP

Close Coupled Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape: Regular

Rough-in: 220mm (S-Trap) 400W*670D*782H mm



CST320DRV Flush System: Siphon (4.8L / 3L) Rough-in: 305mm (S-Trap)

CST320DPRV

Flush System:

Siphon (4.8L / 3L) Rough-in: 305mm (S-Trap) CST325DPRV Flush System: Wash Down (4.8L / 3L) Rough-in: 180mm (P-Trap)

Flush System: Wash Down (4.8L / 3L)

Close Coupled Toilet

Bowl Shape: Elongated 379W*695D*763H mm



Rough-in: 180mm (P-Trap)



Bowl Shape: Elongated Size: 380W*693D*765H mm



CST325DRV Close Coupled Toilet





CW668J / SW668J

Close Coupled Toilet

Flush System: Wash Down

Bowl Shape: Elongated 230mm (S-Trap) Rough-in:

465W*680D*810H mm Size:



CST300DV

Flush System: Siphon (4.8L / 3L) Rough-in: 305mm (S-Trap)

CST300DPV

Flush System: Wash Down (4.8L / 3L) Rough-in: 180mm (P-Trap)

Close Coupled Toilet

Bowl Shape: Elongated Size: 451W*693D*763H mm





CW660NJ / SW660J

Close Coupled Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape: Round

Rough-in: 230mm (S-Trap) Size: 424W*690D*765H mm





CW542ME5UNW1

WH172A

Wall Hung Toilet

Flush System: (4.5L / 3L) Bowl Shape: D-Shape

Rough-in: 220mm (P-Trap) 380W*580D*335H mm









CW274JWS

WH172A Concealed Tank Wall Hung Toilet

Size:

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated Rough-in: 220mm (P-Trap)

404W*590D*330H mm





CW552RA

WH172A

Concealed Tank

Wall Hung Toilet

Flush System: Tornado Flush (4.5L / 3L)

Bowl Shape: D-Shape Rough-in: 220mm (P-Trap) 380W*540D*335H mm Size:









CW253JWS

WH172A Concealed Tank Wall Hung Toilet

Flush System: (4.5L / 3L) Bowl Shape: D-Shape 220mm (P-Trap) Rough-in: 380W*595D*338H mm

Tornado Flush









CW522ME5UNW1

WH172A Concealed Tank

Wall Hung Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Square Rough-in: 220mm (P-Trap) 380W*580D*335H mm









C762E

WH172A Concealed Tank Wall Hung Toilet

Flush System: Tornado Flush (4.5L / 3L)

Bowl Shape: D-Shape 220mm (P-Trap) Rough-in: 380W*530D*340H mm







CW532RA

WH172A Concealed Tank Wall Hung Toilet

Tornado Flush Flush System: (4.5L / 3L) Bowl Shape: Square

220mm (P-Trap) Rough-in: 380W*540D*335H mm









CW812RA

WH172A

Concealed Tank

Wall Hung Toilet

Tornado Flush (4.5L / 3L) Bowl Shape: Elongated 220mm (P-Trap) Rough-in:







CW553A

WH172A Concealed Tank

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape:

Wall Hung Toilet

D-Shape 220mm (P-Trap) Rough-in: 380W*540D*335H mm Size:







CW822RA

WH172A Concealed Tank Wall Hung Toilet

Flush System: Tornado Flush (4.5L / 3L) Elongated

Rough-in: 220mm (P-Trap) 360W*540D*330H mm





CW951JWS

WH172A Concealed Tank Wall Hung Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape: Elongated

220mm (P-Trap) Rough-in: 365W*595D*351H mm





CW875NJ

WH172A Concealed Tank Flush System: Wash Down

Wall Hung Toilet

Bowl Shape: D-Shape Rough-in: 220mm (P-Trap) 360W*545D*344H mm

(4.5L / 3L)





CW580ME5

WH171A

Concealed Tank

Wall Hung Toilet

Wash Down (6L / 3L) Bowl Shape: Regular Rough-in:

220mm (P-Trap) 354W*520D*348H mm



CW620NJ

WH171A Concealed Tank Wall Hung Toilet

(6L / 3L) Bowl Shape: Regular 220mm (P-Trap) Rough-in: 360W*530D*364H mm Size:



CW275PJWS

WH172ANF

Concealed Tank

Wall Faced Toilet

Flush System: Tornado Flush (4.5L / 3L)

Bowl Shape: Elongated 180mm (P-Trap) Rough-in: 404W*590D*400H mm





CW254PJWS

WH172ANF Concealed Tank Flush System: Tornado Flush

Wall Faced Toilet

Size:

(4.5L / 3L) Bowl Shape: D-Shape Rough-in: 180mm (P-Trap) 380W*595D*400H mm









CW763B

Flush System: Tornado Flush (4.5L / 3L) Rough-in: 200mm (S-Trap)

CW763PB

Flush System: Tornado Flush (4.5L / 3L) Rough-in: 180mm (P-Trap)

WH172ANF Concealed Tank



Bowl Shape: D-Shape 380W*630D*483H mm









CW813PJWS

WH172ANF

Concealed Tank

Wall Faced Toilet

Flush System: Wash Down (4.5L / 3L) Bowl Shape: Elongated Rough-in: 180mm (P-Trap)

Size:





CW824NPJWS

WH172ANF

Concealed Tank

Flush System: Wash Down (4.5L / 3L)

Wall Faced Toilet

Bowl Shape: Round Rough-in: 180mm (P-Trap) Size: 360W*525D*490H mm

380W*595D*400H mm



129



WH172A

WH172AT (For WASHLET Concealed Connection)

WH172AAT (For WASHLET Concealed Connection with Auto Flush)

Concealed Tank with Frame

Water Use: 4.5L / 3L



WH171A

Concealed Tank with Frame

Water Use: 6L / 3L



WH142A

Concealed Tank with Frame (Low Type)

Water Use: 4.5L / 3L





WH172ANF

Concealed Tank without Frame

Water Use: 4.5L / 3L







Concealed Frame

Size: Width:

500 mm 165~220 mm Depth: Height: 520~680 mm



MB175M#SS

Flush Panel Stainless Steel



MB171M#SS

Flush Panel Stainless Steel



MB170P#WH White

MB170P#SS Silver Matte

Flush Panel



MB174P#WH

MB174P#SS Silver Matte

Flush Panel



MB176G#WH

Flush Panel Glass with White Buttons



MB003CPR-2

Flush Panel

FITTINGS & SHOWERS



B552E

Wall Hung Bidet

BW875J

Wall Hung Bidet

360W*545D*285H mm



B522E

Wall Hung Bidet

380W*580D*290H mm

380W*540D*290H mm







BW275JWS

Wall Faced Bidet

404W*590D*422H mm



B532E

Wall Hung Bidet

380W*540D*290H mm





BW813JWS

Wall Faced Bidet

380W*595D*400H mm



BW274JWS

Wall Hung Bidet

404W*590D*325H mm



BW824J

Wall Faced Bidet

360W*545D*390H mm



BW812JWS

Wall Hung Bidet

380W*595D*315H mm



BW823J

Floor Mounted Bidet

435W*650D*390H mm



BW822NJT1WS

Wall Hung Bidet

360W*540D*300H mm



BW630JWS

Floor Mounted Bidet

374W*600D*390H mm

TC600VS

PP Seat and Cover w/ Soft Close (Elongated)

Matching Toilet: C887RE, C889DRE, C885DE, C855DE, CS767RV, CS769DRV, CS838DV, CS948DV



TC281SJ

Urea Resin Seat and Cover w/ Soft Close (Elongated)

Matching Toilet: CW823RA, CW823PJ, CW708E, CW708EH, CW920K / SW920K, CW822RA, CW812RA



TC282SJ

Urea Resin Seat and Cover w/ Soft Close (Round / Regular)

Matching Toilet: CW821J / SW821JP, CW821PJ / SW821JP, CW824NPJ, CW630JW/F, CW631JWS / SW631JP



TC504CVK

Urea Resin Seat and Cover w/ Soft Close (Regular)

Matching Toilet: CW580ME5



TC385VS

PP Seat and Cover w/ Soft Close (Elongated)

Matching Toilet: CST320DRV, CST320DPRV, CST325DRV



TC385CV

Urea Resin Seat and Cover (Elongated)

Matching Toilet: CST940DV, CST940DPV



TC505S

PP Seat and Cover w/ Soft Close (Regular)

Matching Toilet: CW660NJ / SW660J, CW660NPJ / SW660J, CW580ME5



TC500CVK

PP Seat and Cover w/ Soft Close (Regular)

Matching Toilet: CW620NJ



TC507CVK-1

PP Seat and Cover w/ Soft Close (Elongated)

Matching Toilet: C769E / S986GE



TC365

PP Seat and Cover (Elongated)

Matching Toilet: CW668J / SW668J, CW668PJ / SW6687



TC513A

Urea Resin Seat and Cover w/ Soft Close (D-Shape) Matching Toilet: CW542ME5UNW1, CW552RA, CW553A



TC512A

Urea Resin Seat and Cover w/ Soft Close (Square)

Matching Toilet: CW522ME5UNW1, CW532RA



TC384CVKR Urea Resin Seat and Cover w/ Soft Close (D-Shape)

Matching Toilet: C762E, CW763B, CST761DV, CST761DPV, CW762FVB



BENEFITS & TECHNOLOGIES

LAVATORIES

CLEANLINESS

CEFIONTECT

DESIGN



LINEARCERAM



LINEARCERAM's accurate design harmonizes with any space. Sophisticated and inviting to use, LINEARCERAM is a new paradigm in bathroom aesthetics.


TOTO has developed a new material "LINEARCERAM" that is stronger than general fire clay by combining unique ingredients. This gave us more freedom of design and made a highly accurate design possible.







We created a cutting-edge design that is extremely thin, emphasizes its linear contours and smoothness.





CEFIONTECT clean

LINEARCERAM features TOTO's proprietary technology for preventing the adhesion of dirt and ensuring easy cleaning. CEFIONTECT has superior durability for long term use.

. . .



PJS05WE (#GW/#MW) (Gloss White / Matte White) Console Lavatory

Reinforced Marble 600W*380D*180H mm



L4704E

Console Lavatory

460W*420D*177H mm





PJS06WE (#GW/#MW) (Gloss White / Matte White) Console Lavatory

Material: Reinforced Marble 600W*380D*180H mm



L4715RE

Console Lavatory

500W*380D*70H mm





PJS07WE (#GW/#MW) (Gloss White / Matte White) Console Lavatory

Reinforced Marble 600W*380D*180H mm Material:



L4716RE

Console Lavatory

600W*380D*70H mm





PJS04WE (#GW/#MW) (Gloss White / Matte White)

PJS04WE #MGB (Obsidian Black)

Console Lavatory

Material:

Reinforced Marble 450W*450D*160H mm



L1735E

Console Lavatory

550W*380D*125H mm





L4724E

Console Lavatory

400W*260D*80H mm





L1705E

Console Lavatory

550W*380D*125H mm





L4706E

Console Lavatory

600W*420D*90H mm





L1706E

Console Lavatory

400W*400D*125H mm





L1716

Console Lavatory 600W*385D*65H mm







LT1717V

Console Lavatory

700W*400D*70H mm





LT5715V

Console Lavatory

500W*380D*70H mm





LT5716V

Console Lavatory

600W*380D*70H mm



Console Lavatory



400W*230D*120H mm

Console Lavatory



Console Lavatory

600W*460D*70H mm





LW1616B (3 Tap Holes) Console Lavatory

600W*460D*70H mm

700W*460D*70H mm





LW1617C (1 Tap Hole)

LW1617B (3 Tap Holes) Console Lavatory



LT5615CV (1 Tap Hole)

LT5615V (3 Tap Holes) Console Lavatory 500W*460D*70H mm







LT5616CV (1 Tap Hole)

LT5616V (3 Tap Holes) Console Lavatory

600W*460D*70H mm



144



LW274JW/F

Console Lavatory

e: 610W*370D*150H mm



LW275JW/F

Console Lavatory

ize: 750W*370D*150H mm



LW276JW/F

Console Lavatory

Size: 700W*370D*150H mm



LW253CJW/F (1 Tap Hole)

LW253JW/F (3 Tap Holes) Console Lavatory

Size: 690W*420D*130H mm



LW254JW/F

Console Lavatory

Size: 690W*405D*130H mm



LW255JW/F

Console Lavatory

ize: 600W*370D*130H mm



LW813CJ

Console Lavatory

Size: 600W*480D*150H mm



LW814CJ

Console Lavatory

Size: 750W*480D*150H mm



LW816J

Console Lavatory

Size: 1400W*400D*150H mm



LW818J

Console Lavatory

Size: 650W*370D*150H mm



LW819J

Console Lavatory

Size: 800W*370D*150H mm



LW950CJ

Console Lavatory

ize: 505W*455D*100H mm



LW951CJ

Console Lavatory

Size: 605W*455D*100H mm

200



LW952J

Console Lavatory

ize: 570W*355D*100H mm



LW953J

Console Lavatory

ize: 705W*355D*100H mm



LW574J

Console Lavatory

Size: 420W*420D*125H mm



LT710CSRV

Console Lavatory

500W*450D*70H mm





LT710CTRV

Console Lavatory

e: 500W*450D*135H mm

600W*500D*135H mm





LW711RCB (1 Tap Hole)

LW711RB

(3 Tap Holes)

Console Lavatory





LW643J

Console Lavatory

Size: 584W*384D*100H mm



LW645JN

Console Lavatory

Size: 660W*420D*75H mm



LW340CJW/F

Console Lavatory

Size: 750W*500D*120H mm



LW648CJW/F (1 Tap Hole)

LW648JW/F (3 Tap Holes) Console Lavatory

Size: 795W*495D*115H mm



LW630JW/F

Console Lavatory

Size: 600W*370D*110H mm



LW631JW/F

Console Lavatory

Size: 710W*410D*125H mm



LW896JW/F

Console Lavatory

Size: 620W*430D*130H mm

O DELIC



LW526NJ

Console Lavatory

e: 430W*430D*75H mm



LW893CJW/F

Console Lavatory

ize: 430W*430D*130H mm



LW528NJ

Console Lavatory

Size: 440W*440D*75H mm



LW895JW/F

Console Lavatory

430W*430D*130H mm



L1704E

Console Lavatory

ze: 400W*400D*60H mm



1

LW387B

Console Lavatory

ze: 450W*450D*145H mm





LW573J

Console Lavatory

Size: 420W*420D*125H mm



LT700CTRV

Console Lavatory

Size: 490W*490D*90H mm





LT523SV

Console Lavatory

ze: 430W*430D*160H mm





LW366RB

Console Lavatory

ize: 450W*450D*150H mm



.

LT763V

Self Rimming Lavatory

530W*450D*20H mm





LW530J

Self Rimming Lavatory

ize: 450W*450D*10H mm



LT762V

Self Rimming Lavatory

Size: 530W*450D*15H mm



LT501CV

Self Rimming Lavatory

Size: 508W*432D*25H mm





LW538RCB

Self Rimming Lavatory

482W*482D*15H mm



LW899CJ (1 Tap Hole)

LW899J (3 Tap Holes) Self Rimming Lavatory

: 595W*485D*15H mm



LW639CJ

Self Rimming Lavatory

Size: 600W*490D*60H mm



LW519J

Self Rimming Lavatory

ize: Ø450*30H mm



LW648CJT1 (1 Tap Hole)

LW648JT1 (3 Tap Holes) Self Rimming Lavatory

Size: 795W*495D*40H mm



LW509J

Self Rimming Lavatory

Size: 600W*450D*30H mm

FITTINGS & SHOWERS



LW641NCJ (1 Tap Hole)

LW641NJ (3 Tap Holes) Semi-Recessed Lavatory

505W*505D*115H mm



LW278JLW/F

Under Counter Lavatory

Inner Lavatory Dimension 800W*420D mm



LW642CJ (1 Tap Hole)

LW642J (3 Tap Holes) Semi-Recessed Lavatory

415W*485D*155H mm



LW278JRW/F

Under Counter Lavatory

Inner Lavatory Dimension Size: 800W*420D mm



LW647CJ (1 Tap Hole)

LW647J (3 Tap Holes) Semi-Recessed Lavatory

520W*420D*157H mm



LW279JW/F

Under Counter Lavatory

Inner Lavatory Dimension 1500W*420D mm

LW646J

Semi-Recessed Lavatory

600W*400D*155H mm



LT765V

Under Counter Lavatory

Inner Lavatory Dimension

480W*400D mm





LW533J

Semi-Recessed Lavatory

430W*430D*175H mm



LW829CJ

(1 Tap Hole)

LW829J (3 Tap Holes) Semi-Recessed Lavatory

580W*480D mm



LT764V

Under Counter Lavatory

Inner Lavatory Dimension 480W*400D mm





LW1514B

Under Counter Lavatory

Inner Lavatory Dimension 425W*425D mm





L620K

Under Counter Lavatory

Inner Lavatory Dimension 565W*385D mm





LT1515V

Under Counter Lavatory

Inner Lavatory Dimension Size: 515W*370D mm





LW1536A

Under Counter Lavatory

Inner Lavatory Dimension 545W*345D mm





LW1516

Under Counter Lavatory

Inner Lavatory Dimension 620W*390D mm





LW1535A

Under Counter Lavatory

Inner Lavatory Dimension 465W*345D mm





LW540J

Under Counter Lavatory

Inner Lavatory Dimension 540W*365D mm



LW1506JU

Under Counter Lavatory

Inner Lavatory Dimension

530W*330D mm





LT520V

Under Counter Lavatory

Inner Lavatory Dimension
Size: 520W*315D mm



LW1505JU

Under Counter Lavatory

Inner Lavatory Dimension 450W*330D mm





L505E

Under Counter Lavatory

Inner Lavatory Dimension 476W*330D mm 

LW1504

Under Counter Lavatory

Inner Lavatory Dimension
Size: 430W*430D mm





LW587J

Under Counter Lavatory

Inner Lavatory Dimension Size: 480W*380D mm



LT546V

Under Counter Lavatory

Inner Lavatory Dimension
Size: 500W*350D mm





LW651J

Under Counter Lavatory

Inner Lavatory Dimension Size: 520W*370D mm



LT548V

Under Counter Lavatory

Inner Lavatory Dimension Size: 550W*370D mm





LW588RB

Under Counter Lavatory

Inner Lavatory Dimension Size: 530W*400D mm



LW273CJW/F

Wall Hung Lavatory

Size: 420W*420D*170H mm



LW252J

Wall Hung Lavatory

Size: 500W*440D*150H mm



LW810CJ

Wall Hung Lavatory

Size: 450W*400D*165H mm



LW811CJ

Wall Hung Lavatory

Size: 550W*480D*150H mm



LW815CJ

Wall Hung Lavatory Corner Type

ize: 605W*510D*150H mm



LW954CJL

Wall Hung Lavatory

Size: 900W*460D*100H mm

OBELIC

LW640NCJT (1 Tap Hole)

LW640NJT (3 Tap Holes) Wall Hung Lavatory

505W*505D*150H mm



LHT766CRV

Wall Hung Lavatory with Half Pedestal

510W*520D*430H mm



LW248JR (Right Tap Hole)

LW248JL

Wall Hung Lavatory

510W*260D*150H mm



LT300CV

Wall Hung Lavatory

500W*430D*190H mm



LHT300CRV

Wall Hung Lavatory with Half Pedestal

500W*430D*468H mm



LW240CJ

Wall Hung Lavatory

500W*350D*180H mm



LW241CJ (1 Tap Hole) + LW241J

LW242HFJ (3 Tap Holes) + LW241J

Wall Hung Lavatory with Half Pedestal

580W*500D*519H mm



LW236CJ + LW239FJ Wall Hung Lavatory with Full Pedestal

Size: 530W*465D*210H mm



LW241CJ (1 Tap Hole) + LW239FJ

LW241J (3 Tap Holes)

+ LW239FJ Wall Hung Lavatory with Full Pedestal

580W*500D*815H mm

FLOOR STANDING LAVATORIES



LW817J

Floor Standing Lavatory

ze: 700W*460D*900H mm







ZERO DIMENSION bathing brings freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.

After more than a decade of research on body positioning, bathing and neurological relaxation,
TOTO developed the Flotation Tub. Its design simulates
zero gravity by offering bathers the experience of total weightlessness.
By releasing the bather from the bonds of gravity to float in
a tension-free state,
deep muscle relaxation occurs that calms the body, mind and spirit,
creating a sanctuary from the physical and mental fatigue that today's

world brings.

167

calming and relaxing.

ADVANCED TECHNOLOGY ENCOURAGES RELAXATION

Exclusive features that make every bathing experience a luxurious occasion.

NECK BATH

With variable pillow positions ensuring stability, people of all body shapes can enjoy the warmth of the bath from above the shoulders to the neck.



CONTROLLER


The electrostatic controller is operated by the slightest touch.



HYDROHANDS

Deeply stimulating water massage gives the feeling of real hands kneading tired muscles.





LED LIGHTING


In the outer perimeter of the tub's base, LED lighting supplies a dream-like ambience.




AIR-JET

Fluctuating streams of air bubbles rise from below and envelop the body with a soothing sensation.










Nestled in comfort, feel your body and mind release into a state of tranquility.

The weight of the head releases onto the headrest, the body receives the sensation of a comforting embrace. The natural S-curve of the spine is maintained all along the neck and down the back, encouraging deep release. This position provides a deep sensation of ease and tranquility. It is a bathing experience that brings relaxation beyond expectations.

Bathing position comparison



The posture of an astronaut resting in space ZERO DIMENSION bathing brings freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.





PJYD2200PWE w/o Hand Grip


Reinforced Marble Free Standing Bathtub

1050W*2200D*780H mm





RECLINE COMFORT



The weight of the head releases onto the headrest, the body receives the sensation of a comforting embrace. The natural S-curve of the spine is maintained all along the neck and down the back, encouraging deep release. This position provides a deep sensation of ease and tranquility. It is a bathing experience that brings relaxation beyond expectations.





In a conventional bathtub, the low water height and a rounded low back make complete relaxation difficult to attain. The shoulder and neck area do not receive warmth from soaking and the bathing position can feel tight and cramped.

COLOR

You can choose between a high-gloss finish that looks like ceramics or a matte finish with a subdued texture.









NEW

PJY1724WPWE#GW (Gloss White) w/o Hand Grip

PJY1724WPWE#MW

Reinforced Marble Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

1700W*800D*565H mm





PJY1744WPWE#GW (Gloss White) w/o Hand Grip

PJY1744WPWE#MW

Reinforced Marble Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

Size: 1695W*835D*565H mm





PJY1724WHPWE#GW (Gloss White) w/ Silver Hand Grip

PJY1724WHPWE#MW (Matte White) w/ Silver Hand Grip

Reinforced Marble Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

1700W*800D*565H mm





PJY1744WHPWE#GW

PJY1744WHPWE#MW (Matte White) w/ Silver Hand Grip



1695W*835D*565H mm

Reinforced Marble Free Standing Bathtub

Waste Fittings Included Slip-Resistance Surface



PJY1724NHPWE#GW (Gloss White) w/ Nickel Hand Grip

PJY1724NHPWE#MW (Matte White) w/ Nickel Hand Grip

Reinforced Marble Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

1700W*800D*565H mm





PJY1744NHPWE#GW

PJY1744NHPWE#MW (Matte White) w/ Nickel Hand Grip

Reinforced Marble Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

1695W*835D*565H mm





PJY1724BHPWE#GW

PJY1724BHPWE#MW (Matte White) w/ Black Hand Grip

Reinforced Marble Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

1700W*800D*565H mm





PJY1744BHPWE#GW

Free Standing Bathtub PJY1744BHPWE#MW

Reinforced Marble



1695W*835D*565H mm



Reinforced Marble Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

1800W*950D*600H mm



PPY1610HIPTV14E (Gold Stand) w/ Hand Grip

PPY1610HIPTE (Silver Stand) w/ Hand Grip

Pearl Acrylic Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface Faucets Not Included: DM202CDFSV1#PG Faucets Not Included: DM202CDFSV1

1600W*810D*700H mm



PJY1604-4HPWE#GW PJY1604-4HPWE#MW

Reinforced Marble Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface Faucets not Included

1650W*1650D*625H mm



PPY1806HPWGE (Gold Stand) w/ Hand Grip

PPY1806HPWNE (Silver Stand) w/ Hand Grip

PPY1806PWGE

PPY1806PWNE (Silver Stand) w/o Hand Grip

Pearl Acrylic Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface Faucets Not Included: DM202CDFSV1

1800W*866D*625H mm



PPYB1610LHPTE w/ Hand Grip and Air-Jet Massage

PPYB1610RHPTE w/ Hand Grip and Air-Jet Massage

Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface

1600W*810D*680H mm



PJY1734HPWE#GW

PJY1734HPWE#MW (Matte White) w/ Hand Grip

PJY1734PWE#GW PJY1734PWE#MW (Matte White) w/o Hand Grip Reinforced Marble Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

1700W*855D*640H mm



PPY1610HPTE

Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface

1600W*810D*680H mm

PPYD1720HPTE

w/ Hand Grip, Whirlpool, Air-Jet Massage and Illumination

PPYD1720PTE

w/ Whirlpool, Air-Jet Massage and Illumination

Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface Headrest Not Included: NTP003E

1700W*1700D*600H mm



PPY1760HPE w/ Hand Grip

PPY1760PE w/o Hand Grip Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface

1700W*800D*600H mm Size:



PPYK1720HPTE w/ Hand Grip, Whirlpool Massage

PPYK1720PTE

Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface Headrest Not Included: NTP003E

1700W*1700D*600H mm



PPY1780HPE w/ Hand Grip

PPY1780PE

Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface

1700W*750D*560H mm





PPYB1720HPTE w/ Hand Grip, Air-Jet Massage

PPYB1720PTE

Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface Headrest Not Included: NTP003E

1700W*1700D*600H mm



PPY1750HPE w/ Hand Grip

PPY1750PE

Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface

1700W*750D*560H mm Size:





PPYK1760ZLHPNE PPYK1760ZRHPNE w/ Hand Grip and Whirlpool Massage

PPYK1760ZLPNE PPYK1760ZRPNE w/o Hand Grip and Whirlpool Massage

Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface

1700W*800D*620H mm



PPY1740PWE w/o Hand Grip

Pearl Acrylic Non-Apron Bathtub Waste Fittings Included Slip-Resistance Surface

1690W*855D*585H mm



FBY1756PTGE (Gold Stand) FBY1756PTNE (Silver Stand) Enameled Cast Iron Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

ize: 1750W*850D*735H mm



FBY1600HPE w/ Hand Grip

FBY1600PE w/o Hand Grip

Size 1600W*750D*465H mm

FBY1520HPE w/ Hand Grip

FBY1520PE w/o Hand Grip

Size: 1517W*750D*465H mm

FBYK1700ZLHPE w/ Hand Grip and WhirlpoolMassage FBYK1700ZRHPE w/ Hand Grip and Whirlpool Massage Enameled Cast Iron Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface



FBY1614HPTE w/ Hand Grip

FBY1614PTE w/o Hand Grip Enameled Cast Iron Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface

Size: 1650W*900D*565H mm



FBYN1816CHPTE w/ Hand Grip

FBYN1816CPTE w/o Hand Grip

Size: 1800W*800D*537H mm

FBYN1716CHPTE w/ Hand Grip

FBYN1716CPTE

Size: 1700W*750D*537H mm Enameled Cast Iron Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface



FBYN1816DHPTE

FBYN1816DPTE

Size: 1800W*800D*537H mm

FBYN1716DHPTE

FBYN1716DPTE

w/o Hand Grip

Size: 1700W*750D*537H mm Enameled Cast Iron Free Standing Bathtub Waste Fittings Included Slip-Resistance Surface



FBY1400PE w/o Hand Grip Enameled Cast Iron Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface

Size: 1400W*730D*453H mm



FBY1700HPE w/ Hand Grip

FBY1700PE w/o Hand Grip Enameled Cast Iron Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface

Enameled Cast Iron Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface

Size:

1676W*813D*465H mm

Size: 1676W*813D*465H mm

FBY1720NHPE w/ Hand Grip

FBY1720NPE

Size: 1700W*750D*490H mm


FBY1530NHPE w/ Hand Grip

FBY1530NPE

Size: 1500W*750D*490H mm

Enameled Cast Iron Non-Apron Bathtub Waste Fittings Not Included

O DELIC





FBYN1810NHPE FBYN1810NPE

Enameled Cast Iron Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface

1800W*800D*470H mm



FBYN1800HPE

FBYN1800PE w/o Hand Grip

Size: 1800W*800D*500H mm

FBYN1700HPE

FBYN1700PE

Size: 1700W*750D*500H mm

Enameled Cast Iron Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface



FBYN1810CHPE

FBYN1810CPE

Size: 1800W*800D*537H mm

FBYN1710CHPE

FBYN1710CPE

Size: 1700W*750D*470H mm

Enameled Cast Iron Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface



PAY1700PE w/o Hand Grip

Acrylic Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface

1700W*800D*530H mm Size:



PAY1720HPE

PAY1720PE w/o Hand Grip

Acrylic Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface

Acrylic Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface

1700W*800D*585H mm



PAYK1750ZLHPE PAYK1750ZRHPE w/ Hand Grip and Whirlpool Massage

PAYK1750ZLPE PAYK1750ZRPE w/o Hand Grip and Whirlpool Massage

Size: 1700W*800D*565H mm

PAY1750HPE w/ Hand Grip

PAY1750PE w/o Hand Grip

Size: 1700W*800D*555H mm

Acrylic Non-Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface



PAYK1550ZLHPE PAYK1550ZRHPE w/ Hand Grip and Whirlpool Massage

PAYK1550ZLPE PAYK1550ZRPE w/o Hand Grip and Whirlpool Massage

Size: 1500W*750D*565H mm

PAY1550HPE w/ Hand Grip

PAY1550PE w/o Hand Grip

Size: 1500W*750D*555H mm

PAY1753HPE w/ Hand Grip

PAY1753PE w/o Hand Grip

Acrylic Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface

1700W*800D*555H mm



PAY1551HPE

PAY1551PE

Size: 1500W*750D*555H mm

Acrylic Apron Bathtub Waste Fittings Not Included Slip-Resistance Surface

1500W*750D*555H mm





PAY1510HVDB#W w/ Waste Fitting w/ Hand Grip

PAY1510HV w/o Waste Fitting w/ Hand Grip

PAY1510VDB#W

w/ Waste Fitting w/o Hand Grip

PAY1510V

Acrylic Non-Apron Bathtub

1500W*750D*570H mm



PAY1715HVCDB#W

w/ Waste Fitting w/ Hand Grip

PAY1715HVC w/o Waste Fitting w/ Hand Grip

PAY1715VCDB#W

w/ Waste Fitting w/o Hand Grip PAY1715VC w/o Waste Fitting w/o Hand Grip Acrylic Apron Bathtub

1700W*750D*558H mm Size:



PAY1515HVCDB#W

w/ Waste Fitting w/ Hand Grip

PAY1515HVC w/o Waste Fitting w/ Hand Grip

PAY1515VCDB#W w/ Waste Fitting w/o Hand Grip

PAY1515VC w/o Waste Fitting w/o Hand Grip Acrylic Apron Bathtub

1500W*750D*558H mm



PAY1720HVDB#W w/ Waste Fitting w/ Hand Grip

PAY1720HV w/o Waste Fitting w/ Hand Grip

PAY1720VDB#W w/ Waste Fitting w/o Hand Grip

PAY1720V w/o Waste Fitting w/o Hand Grip

Acrylic Non-Apron Bathtub

1700W*750D*580H mm Size:



PAY1520HVDB#W w/ Waste Fitting w/ Hand Grip

PAY1520HV w/o Waste Fitting w/ Hand Grip

PAY1520VDB#W w/ Waste Fitting w/o Hand Grip

PAY1520V

w/o Waste Fitting w/o Hand Grip

Acrylic Non-Apron Bathtub

1500W*750D*570H mm



PAY1725HVCDB#W w/ Waste Fitting w/ Hand Grip

PAY1725HVC w/o Waste Fitting w/ Hand Grip

PAY1725VCDB#W w/ Waste Fitting w/o Hand Grip

PAY1725VC w/o Waste Fitting w/o Hand Grip

Acrylic Apron Bathtub

1700W*750D*558H mm Size:



PAY1525HVCDB#W

w/ Waste Fitting w/ Hand Grip

PAY1525HVC w/o Waste Fitting w/ Hand Grip

PAY1525VCDB#W w/ Waste Fitting w/o Hand Grip

PAY1525VC w/o Waste Fitting w/o Hand Grip

Acrylic Apron Bathtub

1500W*750D*558H mm



PAY1730HVDB#W

w/ Waste Fitting w/ Hand Grip

PAY1730HV

w/o Waste Fitting w/ Hand Grip

PAY1730VDB#W

PAY1730V w/o Waste Fitting w/o Hand Grip

Non-Apron Bathtub 1700W*750D*570H mm

Acrylic



PAY1710HVDB#W

w/ Waste Fitting w/ Hand Grip

PAY1710HV

w/o Waste Fitting w/ Hand Grip

PAY1710VDB#W

w/o Hand Grip

PAY1710V w/o Waste Fitting

w/o Hand Grip

Acrylic

Non-Apron Bathtub

1700W*750D*570H mm



PAY1735HVCDB#W

w/ Waste Fitting w/ Hand Grip

PAY1735HVC

w/o Waste Fitting w/ Hand Grip

PAY1735VCDB#W

w/ Waste Fitting w/o Hand Grip

PAY1735VC w/o Waste Fitting w/o Hand Grip

Size:

Apron Bathtub

Acrylic

1700W*750D*558H mm



DB504S-1A/ B* DB504S-2A/ B* DB504S-3A/ B* Push Button Bathtub Pop-up Waste

Waste and Overflow

A: Installed with vertical drain



DB505R-1A/B DB505R-2A/B DB505R-3A/B Push Button Bathtub Pop-up Waste

Waste and Overflow

A: Installed with vertical drain B: Installed with horizontal drain



DB601N-1A/ B* DB601N-2A/ B* DB601N-3A/ B* Step Button Bathtub Pop-up Waste

Waste and Overflow

A: Installed with vertical drain B: Installed with horizontal drain



DB602N-1A/ B*
DB602N-2A/ B*
DB602N-3A/ B*
Step Button
Bathtub
Pop-up Waste

Waste and Overflow

A: Installed with vertical drain B: Installed with horizontal drain



DB903R-1A/ B* DB903R-2A/ B* DB903R-3A/ B* Step Button Bathtub Pop-up Waste

Waste and Overflow

A: Installed with vertical drain B: Installed with horizontal drain

Bathtubs vs Waste Fitting Chart

	Cast	t Iron	Pearl Acrylic	Acrylic			
Waste Fittings Model (Copper Type)	FBY1400PE FBY1520HPE FBY1520PE FBY1530NHPE FBY1530NPE FBY1600HPE FBY1700HPE FBY1700PE FBY1700PE FBYK1700ZLHPE FBYK1700ZRHPE FBY1720NHPE FBY1720NPE	FBYN1700HPE FBYN1700PE FBYN1800HPE FBYN1800PE FBYN1710CHPE FBYN1710CPE FBYN1810CHPE FBYN1810CPE FBYN1810NHPE FBYN1810NHPE FBYN1810NPE	PPYK1760ZLHPNE PPYK1760ZRHPNE PPYK1760ZLPNE PPYK1760ZRPNE	PAY1700PE PAY1720HPE PAY1720PE PAY1550HPE PAY1550PE PAYK1550ZLPE PAYK1550ZRPE PAYK1550ZLHPE PAYK1550ZLHPE PAYK1550ZRHPE PAY1750HPE PAY1750PE PAYK1750ZLPE PAYK1750ZRPE PAYK1750ZRPE PAYK1750ZRPE PAYK1750ZRPE PAYK1750ZRHPE PAYK1750ZRHPE			
DB505R-O Push Button Waste Fitting							
DB504S-O Push Button Waste Fitting	2A /B	3A /B	2A /B	2A /B			
DB601N-O Step Button Waste Fitting	ZA/D	JA/d	ZA/D	ZA/D			
DB602N-O Step Button Waste Fitting							

	Pearl Acrylic	Acrylic
Bathtub Model	PPYK1760ZLHPNE PPYK1760ZRHPNE PPYK1760ZLPNE PPYK1760ZRPNE PPY1750HPE PPY1750PE	PAY1700PE PAY1720HPE PAY1720PE PAY1550HPE PAY1550PE PAYK1550ZLHPE PAYK1550ZRHPE PAYK1550ZRPE PAYK1550ZRPE PAYK1550ZRPE PAYK1550ZRPE PAY1750HPE PAY1750PE PAYK1750ZLHPE
Waste Fittings Model (Copper Type)	2A /B	PAYK1750ZRHPE PAYK1750ZRPE PAYK1750ZRPE 2A /B

OBELIC





A VARIETY OF COLORS & FINISHES

Many colors and finishes to brighten up carefully designed spaces.

The colour which is finished due to PVD manufactured method added by layer on the surface, has both beauty and strength and it adds rich colour to the bathroom space.









Polished Nickel



Polished French Gold







Brushed French Gold



Brushed Bronze

FAUCET

FAUCET

Product lineup	194
ZA series	196
ZL series	202
GE series	208
GC series	212
GM series	218
GB series	222
GF series	226
GA series	230
GO series	234
GR series	238
GS series	242
Technology	246
SHOWER	260

Product lineup

Series	Lavatory Fauc											Bathroom Faucet									
	Single Lever w/ Pop-up		Single Lever w/o Pop-up		Side Handle	Wall-Mount		2 Handle Cold	Cold Only	Exposed M	Exposed Shower C Mixer C		Concealed Shower Mixer		2 Handle		Spout	Floor- Standing	Bidet Faucet		
ZA	-	-	TLP03301A1	-	-	TLP03302A1	-	-	-	-	-	-	-	-	-	-	-	-	-	TBP03301AA / TBN01105B	-
ZL	TLP02301B	TLP02304B	TLP02307B	TLP02303B	TLP02306B	TLP02308B	-	TLP02309B	TLP02310B	TLP02201B	-	-	-	TBP02301BA	TBP02302BA	TBP02201B	TBP02202A	-	TBP02001B	TBP02303AA / TBN01105B	-
GE	TLG07301V_V1	TLG07303V_V1	TLG07305V_V1	TLG07302V_V1	TLG07304V_V1	TLG07306V_V1	-	TLG07307BB	TLG07308BB	TLG07201BA	-	(Faite	TBG07302VA_V1	TBG07303VA_V1	TBG07304VA_V1	TBG07201B	TBG07202A	TBG07305BB	TBG07001B	TBG07306AA / TBN01105B	TRG07301B
GC	TLG08301V_V1	TLG08303V_V1	TLG08305V_V1	TLG08302V_V1	TLG08304V_V1	TLG08306V_V1	-	TLG08307BA	TLG08308BA	TLG08201B	-	TBG08301VA_V1	TBG08302VA_V1	TBG08303VA_V1	TBG08304VA_V1	TBG08201B	TBG08202A	TBG08305BB	TBG08001B	TBG08306AA / TBN01105B	TRG08301B
GM	TLG09301V_V1	7	TLG09305V_V1	TLG09302V_V1	TLG09304V_V1	TLG09306V_V1	-	TLG09307BB	TLG09308BB	TLG09201BA	-	TBG09301VA_V1	TBG09302VA_V1	TBG09303VA_V1	TBG09304VA_V1	TBG09201B	TBG09202A	TBG09305BB	TBG09001B	TBG09306AA / TBN01105B	TRG09301B
GB		TLG10303V_V1	TLG10305V_V1	TLG10302V_V1	TLG10304V_V1	TLG10306V_V1	_	TLG10307BB	TLG10308BB	TLG10201BA	-	TBG10301VA_V1	TBG10302VA_V1	TBG10303VA_V1	TBG10304VA_V1	TBG10201B	TBG10202A	TBG10305BB	TBG10001B	TBG10306AA / TBN01105B	-
GF	TLG11301V_V1	4	TLG11305V_V1	TLG11302V_V1	1	TLG11306V_V1	-	TLG11307BA	TLG11308BA	TLG11201B	-	TBG11301VA_V1	**	TBG11303VA_V1		TBG11201B	TBG11202A	\mathcal{A}^1	TBG11001B	TBG11306AA / TBN01105B	-
GA	TLG04301B	TLG04304B	TLG04307B	TLG04303B	TLG04306B	TLG04308B	_	TLG04309BB	TLG04310BB	TLG04201BB	TLG04101B	TBG04301BA	TBG04302BA	TBG04303BA	TBG04304BA	TBG04201B	TBG04202BB	-	TBG02001B	-	TRG04301B
GO	TLG01301B	TLG01304B	TLG01307B	TLG01303B	TLG01306B	TLG01308B	TLG01309BB	TLG01310BB	TLG01311BB	TLG01201BB	-	TBG01301BA	TBG01302BA	TBG01303BA	TBG01304BA	TBG01201B	TI FI	TBG01305BB	TBG01001B	TBG01306AA / TBN01105B	-
GR	TLG02301B	TLG02304B	TLG02307B	TLG02303B	TLG02306B	TLG02308B	TLG02309BB	TLG02310BB	TLG02311BB	TLG02201BB	-	TBG02301BA	TBG02302BA	TBG02303BA	TBG02304BA	TBG02201B	TBG02202BB	TBG02305BB	TBG02001B	TBG02306AA / TBN01105B	TRG02301B
GS	TLG03301B	TLG03303B	TLG03305B	TLG03302B	TLG03304B	TLG03306B	_	TLG03307BB	TLG03308BB	TLG03201BB	_	TBG03301BA	TBG03302BA	TBG03303BA	TBG03304BA	TBG03201B	TBG03202BB	_	TBG01001B	-	_





Lightness and dignity in a natural shape for a timeless design.



harp edges, the beauty of generous curves, and the contrast of polished and hairline finishes combine in a modulated design that achieves balance of a different order. The handle, asymmetrically shaped like a small stone, is beautiful from any angle and settles in rhythmically.






ZA series

An asymmetrical faucet handle and washbasin bowl in beautiful harmony











TLP03301A1Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste



red<mark>dot</mark> award 2019 winner



TLP03302A1Single Lever Lavatory Faucet for Tall Vessel w/o Pop-up Waste





reddot award 2019



TBP03301AA / TBN01105B Floor Standing Bath & Shower Set









A precise, ultra-thin form delivers a tranquil, keenly framed beauty.

he smooth, flat, mirror-like surface and ultra-thin edge generate a contrast in two dimensions whose overwhelmingly delicate look—made possibly by advanced processing technology—shares a design philosophy with the square-lined, sharp-edged washbasin bowl.





Enhancing flow and gesture, the design fits the sharp washbasin bowl.



bundant water flows like a waterfall from the horizontal spout, while the handle can be operated gracefully with a gentle pinch of the fingers. Beautifying even the flow of water and human gestures, the design resonates with the sharp, square washbasin bowl to create a richer space.





206





TLP02301B Single Lever

Lavatory Faucet w/ Pop-up Waste







TLP02304B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste







TLP02307B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste







TLP02303B

Single Lever Lavatory Faucet w/o Pop-up Waste







TLP02306B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste







TLP02309B Wall Mounted Lavatory Faucet (Short Spout)*1



TLP02310B Wall Mounted Lavatory Faucet (Long Spout)*1

Polished French Gold





TLP02308B

Lavatory Faucet for Tall Vessel

w/o Pop-up Waste

Single Lever

TLP02201B 2 Handle Lavatory Faucet (3 Holes)*2

Polished Bronze



Brushed French Gold











TBP02301BA Single Lever Shower Mixer*3





TBP02302BA Single Lever Bath & Shower Mixer w/ Diverter*3







TBP02201B Bath Filler (3 Holes)*2



TBP02202A Bath & Shower (4 Holes)*2









Recommended Shower Combination



Brushed Bronze





The beauty of traditional craft in a characteristic sculptural form.



he sharp, taut V-shaped edge that extends up to the end of the spout generates multi-sided reflections revealing a range of expressions. The polished gold finish further accentuates the distinctive design for a richer, more luxurious look that helps generate extraordinary, inspirational spaces.





TLG07301V_V1

Single Lever Lavatory Faucet w/ Pop-up Waste





reddot award 2019



TLG07303V_V1

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste





reddot award 2019



TLG07305V_V1

Single Lever



reddot award 2019



TLG07302V V1

Single Lever Lavatory Faucet w/o Pop-up Waste





reddot award 2019



TLG07304V V1

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste





reddot award 2019



TLG07307BB

Wall Mounted Lavatory Faucet (Short Spout)*1





Wall Mounted Lavatory Faucet





Polished French Gold

TLG07308BB (Long Spout)*1





Lavatory Faucet for Tall Vessel w/ Pop-up Waste







TLG07306V V1

Single Lever Lavatory Faucet for Tall Vessel w/o Pop-up Waste





reddot award 2019



Polished Bronze

Brushed Bronze

TLG07201BA

2 Handle Lavatory Faucet (3 Holes)*2

Brushed French Gold





Floor Standing

Bath & Shower Set*4

TBG07301VA_V1

Single Lever

Shower Mixer

TBG07001B

Bath Spout









TBG07305BB Bath & Shower Set (3 Holes)

TBG07303VA_V1

Single Lever

Shower Mixer*3







Bath & Shower Set (4 Holes)*2









TBG07302VA_V1

Bath & Shower Mixer

Single Lever

TBG07201B

Bath Filler (3 Holes)*2

Recommended Shower Combination





















The breadth and symbolism of classical design in a contemporary form.

ith the composure of an elegant serif typeface and a base shaped to reconfigure the stability at the heart of traditional architecture, we pay homage to designs that have stood the test of time while transitioning to a modern design that reflects the present day.



The two-handle design captures the rich aesthetic of an elegant hotel.

ligned along a straight line, the faucet and handles present a strikingly consistent design. The horizontal line crossing each base serves as a boundary that tightens the gaps between them. The low center of gravity adds a dignified accent to interior spaces without getting in the way.







TLG08301V_V1

Single Lever Lavatory Faucet w/ Pop-up Waste





reddot award 2019 winner



TLG08303V V1

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste





reddot award 2019



TLG08305V_V1

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste





reddot award 2019



Single Lever Lavatory Faucet w/o Pop-up Waste

TLG08302V_V1





reddot award 2019



TLG08304V_V1

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste





reddot award 2019



TLG08307BA

Wall Mounted Lavatory Faucet (Short Spout)*1



TLG08308BA

Wall Mounted





Lavatory Faucet (Long Spout)*1











TLG08306V_V1

Single Lever Lavatory Faucet for Tall Vessel w/o Pop-up Waste





reddot award 2019



2 Handle Lavatory Faucet (3 Holes)*2













Brushed Bronze



TBG08301VA_V1

Single Lever Shower Mixer

TBG08001B

Bath Spout





TBG08302VA V1

Single Lever Bath & Shower Mixer





TBG08201B

Bath Filler



(3 Holes)*2



TBG08303VA_V1

Single Lever Shower Mixer*3

TBG08305BB Bath & Shower Set (3 Holes)





TBG08304VA_V1

Single Lever Bath & Shower Mixer w/ Diverter*3







TBG08202A

Bath & Shower Set (4 Holes)*2





TBG08306AA / TBN01105B

Floor Standing Bath & Shower Set*4





TRG08301B Bidet Faucet









TBW08002A *5

TBW02006A *6





TBW08009A













Bold parallel arches and reflective curves in an assertive design.







TLG09301V_V1

Single Lever Lavatory Faucet w/ Pop-up Waste













TLG09303V_V1

Single Lever

Lavatory Faucet





TLG09305V_V1

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste







reddot award 2019



TLG09302V_V1

Single Lever Lavatory Faucet w/o Pop-up Waste





TLG09307BB

Wall Mounted

Lavatory Faucet

(Short Spout)*1



reddot award 2019



TLG09304V_V1

Single Lever

Lavatory Faucet

for Semi-tall Vessel

w/o Pop-up Waste





reddot award 2019





TLG09306V_V1

Single Lever

Lavatory Faucet

w/o Pop-up Waste

for Tall Vessel





TLG09308BB

Wall Mounted Lavatory Faucet (Long Spout)*1





TLG09201BA

2 Handle Lavatory Faucet (3 Holes)*2



















TBG09301VA_V1

Single Lever Shower Mixer

TBG09001B

BathSpout





TBG09302VA_V1

Single Lever Bath & Shower Mixer

TBG09201B

Bath Filler

(3 Holes)*2





TBG09303VA_V1 Single Lever Shower Mixer*3





Shower Mixer

TBG09304VA_V1 Single Lever Bath &





Bath & Shower Set









TBG09202A

Bath & Shower Set (4 Holes)*2





TBG09306AA/ TBN01105B

Floor Standing Bath & Shower Set*4





TRG09301B **Bidet Faucet**







Recommended Shower Combination



TBW07003A *5







TBW07021A















TLG10301V_V1

Single Lever Lavatory Faucet w/ Pop-up Waste





reddot winner 2020



TLG10302V_V1

Single Lever Lavatory Faucet w/o Pop-up Waste





reddot winner 2020



TLG10307BB

Wall Mounted Lavatory Faucet (Short Spout)*1





Wall Mounted Lavatory Faucet (Long Spout)*1



TLG10303V_V1

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste





reddot winner 2020



TLG10304V_V1

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste





reddot winner 2020



TLG10308BB

Polished French Gold



TLG10305V_V1

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste





reddot winner 2020



TLG10306V_V1

Single Lever Lavatory Faucet for Tall Vessel w/o Pop-up Waste





reddot winner 2020



TLG10201BA

Polished Bronze

2 Handle Lavatory Faucet (3 Holes)*2

Brushed French Gold





TBW02004BA *5



TBG10302VA V1

Single Lever Bath & Shower Mixer

TBG10201B

Bath Filler

(3 Holes)*2





TBG10303VA_V1





TBG10304VA_V1 Single Lever Bath & Shower Mixer





w/ Diverter*3



TBG10305BB





Bath & Shower Set (3 Holes)





TBG10202A Bath & Shower Set (4 Holes)*2





TBG10301VA_V1

Single Lever Shower Mixer

TBG10001B

BathSpout

TBG10306AA/ TBN01105B

Floor Standing Bath & Shower Set*4





Recommended Shower Combination



TBW02006A *6





TBW08009A











The refined cylinder and fine finish inspire a high-end luxury feel.











TLG11301V_V1

Single Lever Lavatory Faucet w/ Pop-up Waste





reddot winner 2020



TLG11303V_V1

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste





reddot winner 2020



TLG11305V_V1

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste





reddot winner 2020

TLG11306V V1

w/o Pop-up Waste

Single Lever

Lavatory Faucet

for Tall Vessel

reddot winner 2020



TLG11302V V1

Single Lever Lavatory Faucet w/o Pop-up Waste





reddot winner 2020

TLG11307BA

Wall Mounted

Lavatory Faucet (Short Spout)*1



TLG11304V V1

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste





reddot winner 2020





TLG11308BA

Wall Mounted Lavatory Faucet (Long Spout)*1





Polished French Gold



Brushed French Gold



TLG11201B

2 Handle Lavatory Faucet



Polished Bronze





TBG11301VA_V1

Single Lever Shower Mixer

TBG11001B

BathSpout





TBG11302VA_V1

Single Lever Bath & Shower Mixer





TBG11201B

Bath Filler (3 Holes)*2



TBG11303VA_V1 Single Lever Shower Mixer*3





TBG11305BB

Bath & Shower Set (3 Holes)





TBG11304VA_V1

Single Lever Bath & Shower Mixer

w/ Diverter*3






TBN01105B

Floor Standing Bath & Shower Set*4





Recommended Shower Combination









TBW07020A













Subtle and sharp, this elegant, timeless design upgrades the everyday.

he subtle curves of the spout and handle, the sharpness of the edges, and the refined proportions of the whole combine in quiet harmony to create an atmosphere of advanced elegance.











TLG04301B

Single Lever Lavatory Faucet w/ Pop-up Waste





reddot award 2018 winner

TLG04303B

Lavatory Faucet

reddot award 2018

w/o Pop-up Waste

Single Lever



TLG04304B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste





reddot award 2018



TLG04307B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste





reddot award 2018



TLG04308B Single Lever

Lavatory Faucet

w/o Pop-up Waste

for Tall Vessel

TLG04306B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste







reddot award 2018



reddot award 2018



TLG04309BB

Wall Mounted Lavatory Faucet (Short Spout)*1





Polished French Gold

TLG04310BB

Wall Mounted Lavatory Faucet (Long Spout)*1





Brushed French Gold

2 Handle Lavatory Faucet (3 Holes)*2

TLG04201BB

Polished Bronze





TBW02004BA *5

Brushed Bronze





TBG04201B Bath Filler (3 Holes)*2



TBG04303BA

Shower Mixer*3

Single Lever

TBG04202BB Bath & Shower Set (4 Holes)*2





TBG04304BA

Single Lever Bath & Shower Mixer w/ Diverter*3







TLG04101B

Single Lever Lavatory Faucet (Cold Water)



TRG04301B



TBG02001B

BathSpout

TBG04301BA

Single Lever

Shower Mixer


Bidet Faucet





Recommended Shower Combination









TBW08009A









Flowing and curvaceous, the organic form leaves a graceful impression.







TLG01301B Single Lever

Lavatory Faucet w/ Pop-up Waste





TLG01303B

Lavatory Faucet

reddot award 2017 best of the best

TLG01309BB

Lavatory Faucet

Single Lever

Side Handle

w/o Pop-up Waste

Single Lever



TLG01304B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste

TLG01307B

Lavatory Faucet

w/ Pop-up Waste

for Tall Vessel

reddot award 2017 best of the best

TLG01308B

Lavatory Faucet

w/o Pop-up Waste

for Tall Vessel

reddot award 2017 best of the best

TLG01311BB

Wall Mounted

Lavatory Faucet

(Long Spout)*1

Single Lever

Single Lever





reddot award 2017 best of the best





TLG01306B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste





reddot award 2017 best of the best



TLG01310BB

Wall Mounted





Lavatory Faucet (Short Spout)*1







Polished French Gold Brushed French Gold



Brushed Bronze



TBG01301BA

Single Lever Shower Mixer

TLG01201BB

Lavatory Faucet

2 Handle

(3 Holes)*2





TBG01302BA

Single Lever Bath & Shower Mixer





TBG01303BA Single Lever Shower Mixer*3





TBG01304BA Single Lever Bath & Shower Mixer







TBG01305BB

Bath & Shower Set (3 Holes)







TBG01202BB

Bath & Shower Set (4 Holes)*2





TBG01306AA/ TBN01105B

Floor Standing Bath & Shower Set*4





TBG01201B

Bath Filler

(3 Holes)*2

Bath Spout



TBG01001B

















TBW07020A









The weight of a metal ingot cut at right angles tightens up a space.



he design contrasts found in this marriage between sharply honed edges and the gentle curves at the top of the spout and handle generates a regal air while further bolstering its imposing sculptural beauty.





TLG02301B

Single Lever Lavatory Faucet w/ Pop-up Waste





reddot award 2017



Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste







Single Lever Lavatory Faucet w/o Pop-up Waste

TLG02303B





reddot award 2017



TLG02309BB

Single Lever Lavatory Faucet Side Handle









TLG02306B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste





reddot award 2017



Brushed French Gold

TLG02310BB

Polished French Gold

Wall Mounted Lavatory Faucet (Short Spout)*1





TLG02307B

Lavatory Faucet

w/ Pop-up Waste

for Tall Vessel

reddot award 2017

TLG02308B

Lavatory Faucet

w/o Pop-up Waste

for Tall Vessel

reddot award 2017

Single Lever

Single Lever

TLG02311BB

Wall Mounted Lavatory Faucet (Long Spout)*1

Polished Bronze

Brushed Bronze







TBG02302BA

TBG02201B

Bath Filler

(3 Holes)*2

Single Lever Bath & Shower Mixer





TBG02303BA

Single Lever Shower Mixer*3







Shower Mixer

TBG02304BA

Single Lever Bath &



TBG02305BB

Bath & Shower Set (3 Holes)





Bath & Shower Set (4 Holes)*2





TLG02201BB

Lavatory Faucet

2 Handle

(3 Holes)*2

TBG02306AA/ TBN01105B

Floor Standing Bath & Shower Set*4





TRG02301B **Bidet Faucet**





TBG02001B



Bath Spout

Recommended Shower Combination



TBW02004BA *5







TBW02013B















A modern design wrapping a relaxed, unassuming shape.

dding soft curves to a universal basic shape results in smart proportions that convey a gentle visual and textural impression in a timeless design suited for everyday use. Expanded color and finish options leave an even fresher impression.



Finishing color subject to availability. Please check with your local salesperson for more information.







TLG03301B

Single Lever Lavatory Faucet w/ Pop-up Waste





reddot award 2018



TLG03303B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste





reddot award 2018





reddot award 2018

TLG03306B

Lavatory Faucet

w/o Pop-up Waste

for Tall Vessel

reddot award 2018

TLG03201BB

Lavatory Faucet

Polished Bronze

2 Handle

Brushed French Gold

(3 Holes)*2

Single Lever

TLG03305B

Lavatory Faucet for Tall Vessel

w/ Pop-up Waste

Single Lever



TLG03302B

Single Lever Lavatory Faucet w/o Pop-up Waste





reddot award 2018

TLG03307BB

Wall Mounted

Lavatory Faucet

(Short Spout)*1



Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste





reddot award 2018



Wall Mounted Lavatory Faucet





TLG03308BB

Polished French Gold

(Long Spout)*1





TBG03301BA

Single Lever Shower Mixer





TBG03302BA

Single Lever Bath & Shower Mixer





TBG03303BA Single Lever Shower Mixer*3







Single Lever Bath & Shower Mixer

w/ Diverter*3







TBG01001B

Bath Spout



TBG03201B

Bath Filler (3 Holes)*2



TBG03202BB

Bath & SHower Set (4 Holes)*2





Recommended Shower Combination



















TBW01004BA *5



TBW07020A




This stunning Matte Black finish adds sophistication and depth to our elegant faucet designs. Its silky sheen and delicate color gradation create a sense of luxury like no other.

Our "shot-blast processing" forms a chrome plating by physical vapor deposition (PVD) on faucet fixture surface irregularities. The result is a gorgeous Matte Black finish with a lustrous sheen and fine color nuances.

PVD finished surfaces are harder than coated surfaces.

Compared to coated products, PVD products are less prone to peeling or scratches that would reveal the base material on the surface.


Pencil testing for surface hardness



PVD Matte Black finish won't be scratched even with a hard pencil.

Test conditions:

Pencil testing(conformant with JIS K5600 5.4, ISO 15184, ASME D3363, and GB T6739) was performed on the coating/PVD in our test site.






Everyday ease-of-use that is grounded in the senses.

Comfort. For TOTO, this does not simply mean comfort of movement. Ease of use, when it lasts a long time, becomes comfort in itself. For this purpose, TOTO has developed the internal valve based on users' touch. Designed from the ground up to provide a fundamental comfort in operation.

Special coating for prolonged comfort.

The ceramic disc, a core valve component, is covered with a special DLC (Diamond Like Carbon) coating. This ensures long-lasting quality over conventional faucets that use a greased valve.



Precise flow control, exclusive to TOTO.

Our exclusive technology means new functionality. We took the core component of the valve, the ceramic disc, and customized its shape for ease of use. Compared to conventional faucets, it's easier to control water flow when just a little is required, such as when you are washing a contact lens. Because you can achieve the right amount of water flow instantly, it helps conserve water. *Adjustable flow functionality is not available on side-handle models.

ZN series

















TBP01301AA / TBN01105B Floor Standing Bath & Shower Set





TLS01301B Single Lever Lavatory Faucet w/ Pop-up Waste



TLS01304B Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste



TLS01307B Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste



TBS01301BSingle Lever
Shower Mixer



TBS01302B Single Lever Bath & Shower Mixer



TBS01303B Single Lever Shower Mixer w/ Valve



TBS01304B Single Lever Bath & Shower Mixer w/ Diverter & Valve



TLS01303BSingle Lever
Lavatory Faucet
w/o Pop-up Waste



TLS01306B Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste



TLS01308B Single Lever Lavatory Faucet for Tall Vessel w/o Pop-up Waste



TBG01001B Bath Spout



TBS01201BABath Filler
(3 Holes) *2



TBS01202BA
Bath & Shower Set (4 Holes) *2



TLS01101B Single Lever Lavatory Faucet (Cold Water)



TLS01309B
Wall Mounted
Lavatory Faucet
(Short Spout) *1



TLS01310B Wall Mounted Lavatory Faucet (Long Spout) *1



TLS01201BA2 Handle
Lavatory Faucet
(3 Holes) *2

Recommended Shower Combination



TBW01013B *3



TBW07009A *4



TBW08009A

*1. Without waste fitting *2. 2 Handle heat transfer prevention design *3. Fall prevention feature *4. Safety design resin hanger





TLS02301B Single Lever Lavatory Faucet

w/ Pop-up Waste



TLS02303B Single Lever Lavatory Faucet for Semi-tall Vessel

w/ Pop-up Waste



TLS02305B Single Lever Lavatory Faucet for Tall Vessel

w/ Pop-up Waste



TBS02301B Single Lever Shower Mixer



TBS02302B Single Lever Bath & Shower Mixer



TBS02303B Single Lever Shower Mixer w/ Valve



TBS02304B Single Lever Bath & Shower Mixer w/ Diverter & Valve



TLS02302B Single Lever Lavatory Faucet w/o Pop-up Waste



TLS02304B Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste



TLS02306B Single Lever Lavatory Faucet for Tall Vessel w/o Pop-up Waste



TBG02001B Bath Spout



TBS02201BA Bath Filler (3 Holes) *2



TBS02202BA Bath & Shower Set (4 Holes) *2



TLS02307B Wall Mounted Lavatory Faucet (Short Spout) *1



TLS02308B Wall Mounted Lavatory Faucet (Long Spout) *1



TLS02201BA 2 Handle Lavatory Faucet (3 Holes) *2

Recommended Shower Combination






TBW07009A *4



TBW01014B

*1. Without waste fitting *2. 2 Handle heat transfer prevention design *3. Fall prevention feature *4. Safety design resin hanger







TLS03301B Single Lever Lavatory Faucet w/ Pop-up Waste



TLS03303B Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste



TLS03305B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste



TLS03302B Single Lever Lavatory Faucet w/o Pop-up Waste



Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste



Single Lever Lavatory Faucet for Tall Vessel w/o Pop-up Waste



TLS03307B Wall Mounted Lavatory Faucet (Short Spout) *1



TLS03308B Wall Mounted Lavatory Faucet (Long Spout) *1



TBS03301B Single Lever Shower Mixer



TBS03302B Single Lever Bath & Shower Mixer



TBS03303B Single Lever Shower Mixer w/ Valve



TBS03304B Single Lever Bath & Shower Mixer w/ Diverter & Valve



TBS03001B Bath Spout



TRS03301B **Bidet Faucet**

Recommended Shower Combination







TBW01014B





Single Lever Lavatory Faucet w/ Pop-up Waste



TLS04304B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-up Waste



TLS04306B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-up Waste



TLS04303BSingle Lever
Lavatory Faucet

w/o Pop-up Waste



TLS04305B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-up Waste



TLS04307B

Single Lever Lavatory Faucet for Tall Vessel w/o Pop-up Waste



TLS04308B

Wall Mounted Lavatory Faucet (Short Spout) *1



TLS04309B

Wall Mounted Lavatory Faucet (Long Spout) *1



TBS04301B

Single Lever Shower Mixer



TBS04302B

Single Lever Bath & Shower Mixer



TBS04303B

Single Lever Shower Mixer w/ Valve



TBS04304B

Single Lever Bath & Shower Mixer w/ Diverter & Valve



TBS03001B

Bath Spout

Recommended Shower Combination



TBW01013B *3



TBW07012A *4





TBW01014B

*1. Without waste fitting *2. 2 Handle heat transfer prevention design *3. Fall prevention feature *4. Safety design resin hanger


SHOWER


AUCLI	100
SHOWER	
eature	26
echnology	270
'Selection	28
3 Selection	29
. Selection	29
Shower System	30





Relaxing WARM SPA GYROSTREAM CO












Color

266

SHOWER-Product Line up

















WARM SPA

Embraces you in warmth Helps you relax

Leaves you ready for rest





Relaxing







Control the waters flow

Utilizing a unique interior structure, the flow of water is controlled to provide a smoother shower.

Let no heat escape

Smooth water release means less heat loss. The water cloaks your body, quickly warming it.




A relaxing vortex of water that cleanses and massages

















Refreshing





That Quality: Only TOTO


The image illustrates water penetration. While the fine drops of the conventional shower bounce off the hair, the larger drops of the COMFORT WAVE reach all the way to the scalp.






0


PUBLIC














The image illustrates the comparison of the force of water. We examined the power of water flow against a transparent pool.










conventional

ACTIVE WAVE

INTENSE WAVE








SAFETY THERMO Burn protection

HEAT PROTECT

Prevents rapid rises in temperature for a safer bath time.

A coil made of Shape-Memory Alloy (SMA Coil) reacts instantly to water temperature change, keeping the temperature from rising.



By comparison with the SINGLE product, SAFETY THERMO produces a smaller range of temperature fluctuation during bathing, even when the water pressure drops due to a toilet flushing.

SAFETY THERMO Products



TBW08407A TBW08408A 470W x 290D mm



Exposed Thermostat



()

TBW01407BB



TBW01404BB





TBW01401AA











Prevents getting too hot and is beautifully shaped for a more pleasant daily bath time.

By covering the path of the hot water with a layer of cold, HEAT PROTECT is able to prevent burns when accidentally touching the fixtures.







A compact unit offering freedom of choice for more beautiful bathrooms.


Concealed faucets liven up the bathroom.

TOTO's MINI UNIT is a technology that gives you more freedom. We don't match the concealed system to each trim, instead we use a shared module. You can choose the functionality you need such as a single lever type, thermostat type or touch button type, and also make choices based on design features such as round or square fixtures

MINI UNIT

TBN01001B





Easier to install. Less load on the frame.

A high degree of flexibility when installing the MINI $\ensuremath{\mathsf{UNIT}}$ is one of its most attractive features. We were able to achieve one of the industry's smallest and lightest bodies for the concealed system. It puts only a minimal load on the architectural frames and has improved manageability during installation. In order to conceal the unit, the wall only needs to be 97mm, and the system is able to absorb installation error of ±13mm.

VALVE UNIT

TBN01104B











TBN01101B | TBN01102B | TBN01103B
















Industry-leading miniaturization. Beauty in balance.

We shrunk the unit to one of the industry's smallest. The trims are also some of the most compact. In addition, our progress towards uniform sizes mean units can be used simultaneously to create a beautiful space. We also strived to make the trim as thin as possible. A bathroom of unity and style can be yours.






Z Selection



SHOWER COLUMN



Z Selection



OVERHEAD SHOWER











TBW08004A *1



Polished Nickel #PN TBW08004A *1

DESIGN AWARD 2022











TBW08004A *1







DESIGN AWARD 2022





TBW07004A *1







TBW07004A *1













Polished French Gold #PFG TBW07004A *1







Brushed Bronze #BBR TBW07004A *1





Polished Bronze #PBR TBW07004A *1

DESIGN AWARD 2022



TBW07004A *1





A perfect showering experience with just one touch.

Choose your shower experience with a simple switch.


For the hand shower we installed a switch right at your fingertip, and for the over head shower the switch is located inside the showerhead. For the hand shower you can change easily between WARM SPA / COMFORT WAVE / ACTIVE WAVE, and for the over head shower between WARM SPA and COMFORT WAVE.

Feel free to enjoy the prefer shower for

Hand Shower



Overhead Shower



Body Shower





G Selection

Shower Columns

With SAFETY Thermo



TBW01407BB 2 Mode 220mm Round







TBW01404BB 2 Mode 220mm Round





TBW01401AA 1 Mode 220mm Round Adjustable Height





TBW01402BB 1 Mode 220mm Round



Shower Columns

Without spout



TBW01002BA 2 Mode 220mm Round





TBW02002BA 2 Mode 210mm Square





TBW01001BA 1 Mode 220mm Round





TBW02001BA 1 Mode 210mm Square

















G Selection

Hand Shower



TBW02006A *1 3 Mode 110mm Square





TBW02005A *1 1 Mode 110mm Square



TBW01010A *1 3 Mode 110mm Round



TBW01008A *1 1 Mode 110mm Round



TBW02017A 1 Mode



Over Head Shower Wall Type



TBW08003A *1 300mm Square





TBW07003A *1



1 Mode









TBW07002A *1 1 Mode 250mm Round





210mm Square







TBW01004BA *1 2 Mode



Polished French Gold #PFG Brushed French Gold #BFG



TBW02003BA *1

210mm Square

TBW01003BA *1 1 Mode 220mm Round



Over Head Shower Ceiling Type



TBW08003A1 *1 1 Mode 300mm Square



TBW07003A1 *1 1 Mode 300mm Round





TBW08002A1 *1 1 Mode 250mm Square





TBW07002A1 *1 1 Mode 250mm Round



Wall Outlet



TBW02003B1A *1 1 Mode





TBW01003B1A *1 1 Mode 220mm Round



Body Shower



Sliding Rail

TBW08008A



TBW07018A

TBW07019A *1

740mm



TBW08010A TBW08009A *2 with shower hanger



TBW07021A with shower hanger



TBW07020A *2







TBV01402BA

Exposed Thermostat








Intuitive operations make it easy to get the showering experience you want

The handheld shower is equipped with a lever that is easily operated with your thumb while you hold it. Moving this lever left of right changes the water discharge mode. The body shower provides two water discharge modes. It has a form that allows a comfortable grip, with water delivery switched by rotating the main body left or right. Being able to freely switch between water discharge modes provides a pleasant bath time.

Hand Shower



Body Shower



Hand Shower



Hand Shower

L Selection



TBW07009A 3 Mode



TBW07008A 1 Mode 110mm Round



TBW07012A 2 Mode 90mm Round



TBW07011A 1 Mode 90mm Round





TBW03002B 5 Mode 100mm Round



TBW01017B 1 Mode 100mm Round



TBW01018B 5 Mode 100mm Round

Over Head Shower $\ensuremath{\mathsf{Wall Type}}$



TBW01013B 5 Mode 100mm Round



TBW03001B 5 Mode 100mm Round



TBW01012B 1 Mode 100mm Round



Body Shower



Wall Outlet




TBW01014B

Sliding Rail




1 OUTLET












MINIT LINIT

TBN01001B





TBN01001B

Mini Unit*1

SHOWER PLANNING

TBW07020A

TBN01001B

MINIT LINIT



3 Way



On/Off Valve Unit for On/Off

SHOWER PLANNING

TBV02105B

TBV02402B

TBP02001B TBV02101B

4 OUTLET

Thermostat Mixer

↓ (ⓐ)

000

Only Temp.

a Temp. Control

Control

Square

TBV02102B TBN01101B

TBV02401B TBN01001B

Thermostat Mini Unit*1

TBV02101B TBN01104B

Valve Unit for On/Off

3 Way

Diverter w/ On/Off

Controller*1

On/Off

Valve

With Diverter and

a Flow Rate Control

a On / Off Switch (Constant Flow)

Round

TBV01102B TBN01101B

TBV01406B TBN01001B

Thermostat Mini Unit*1

TBV01101B TBN01104B

Valve Unit for On/Off

Diverter w/ On/Off

Valve

Controller*1

On/Off

TBW08003A

TBW02017A

6

6

000

Divert

Off

Valve Unit for On/Off Valve TBW08008A x4 TBN01104B

TBW08010A TBN01001B x4


3 OUTLET

Thermostat Mixer




Divert Off

On / Off Switch (Constant Flow)



000





Round









Square Switch Type



















TBV01406B TBN01001B Thermostat Mini Unit*1



3 Way

w/ On/Off



Mini Unit*1

TBV02402B TBN01001B Thermostat Mini Unit*1

TBW01010A TBW07017A x4

TBV02105B TBW08003A Hand Shower

TBV02402B TBN01001B x2



SHOWER PLANNING


TBW08010A


* Please see pages 76-79 for descriptions of each function icon.

DL370R	1 Handle Lavatory Faucet w/ Pop-Up Waste (2 Holes) Spout Opening Distance Height: 180mm Length: 165mm	
DL370-1R	1 Handle Lavatory Faucet w/ Pop-Up Waste (2 Holes) Spout Opening Distance Height: 230mm Length: 185mm	
DL225S	2 Handles Lavatory Faucet w/ Pop-Up Waste (3 Holes) Spout Opening Distance Height: 180mm Length: 165mm	
DL225-1S	2 Handles Lavatory Faucet w/ Pop-Up Waste (3 Holes) Spout Opening Distance Height: 230mm Length: 185mm	
DL368	Single Lever Lavatory Faucet w/ Pop-Up Waste Spout Opening Distance Height: 105mm Length: 130mm	
DL368-1	Single Lever Lavatory Faucet w/ Pop-Up Waste Spout Opening Distance Height: 165mm Length: 150mm	
DL368-2	Single Lever Lavatory Faucet w/ Pop-Up Waste Spout Opening Distance Height: 215mm Length: 170mm	









Spout Opening Distance Height: 215mm Length: 170mm

DL104R

Lavatory Faucet w/o Pop-Up Waste (Cold Water)

Spout Opening Distance Height: 100mm Length: 120mm



DL104-1R

Lavatory Faucet w/o Pop-Up Waste (Cold Water)

Spout Opening Distance Height: 220mm Length: 140mm



DLB310

Wall Mounted Lavatory Faucet w/ Pop-Up Waste

Spout Opening Distance Length: 160mm



DLB310-1

Wall Mounted Lavatory Faucet w/ Pop-Up Waste

Spout Opening Distance Length: 190mm



DLB204-1

Wall Mounted Lavatory Faucet w/ Pop-Up Waste

Spout Opening Distance Length: 190mm



DLB309

Wall Mounted Lavatory Faucet w/ Pop-Up Waste

Spout Opening Distance Length: 170mm



DLB309-1

Wall Mounted Lavatory Faucet w/ Pop-Up Waste

Spout Opening Distance Length: 210mm



DLB203



Wall Mounted Lavatory Faucet w/ Pop-Up Waste

Spout Opening Distance Length: 170mm



DLB203-1

Wall Mounted Lavatory Faucet w/ Pop-Up Waste

Spout Opening Distance Length: 210mm



DB251C

Bath & Shower Set w/ Hand Shower (4 Holes)

Spout Opening Distance Height: 170mm Length: 245mm



DB357CR

Bath & Shower Set w/ Hand Shower (3 Holes)

Spout Opening Distance Height: 170mm Length: 240mm



DB242C

Bath & Shower Set w/ Hand Shower (4 Holes)

Spout Opening Distance Height: 100mm Length: 230mm



DB356CR

Bath & Shower Set w/ Hand Shower (3 Holes)


Spout Opening Distance Height: 100mm Length: 230mm



DBS115

Bath Spout Spout Length: 180 mm

307







DP349 / DV311-2R Single Lever Shower Mixer

3S & ERS

ACCESSORIES

SEC WOR

O DELIC

309



DL224 DL224#PG 2 Handle Lavatory Faucet w/ Pop-Up Waste (3 Holes)

Spout Opening Distance Height: 100mm Length: 130mm





DL224A DL224A#PG

2 Handle Lavatory Faucet w/ Pop-Up Waste (3 Holes)

Spout Opening Distance Height: 100mm Length: 130mm





Wall Mounted Lavatory Faucet w/ Pop-Up Waste

Spout Opening Distance Length: 222mm



Lavatory Faucet w/ Pop-Up Waste Spout Opening Distance

Length: 235mm

Wall Mounted



Wall Mounted Bath & Shower Set w/ Hand Shower

Spout Opening Distance Length: 260mm



DM207ACF DM207ACF#PG

Wall Mounted Bath & Shower Set w/ Hand Shower

Spout Opening Distance Length: 260mm



DM208CF DM208CF#PG

Bath & Shower Set w/ Hand Shower

Spout Opening Distance Length: 160mm





DM208ACF DM208ACF#PG

Bath & Shower Set w/ Hand Shower

Spout Opening Distance Length: 160mm



DB244C DB244C#PG

Bath & Shower Set w/ Hand Shower (4 Holes)

Spout Opening Distance Height: 143mm Length: 210mm



DB244AC DB244AC#PG

Bath & Shower Set w/ Hand Shower (4 Holes)

Spout Opening Distance Height: 143mm Length: 210mm



Chrome #PG Gold

DBS113 DBS113#PG

Bath & Spout

Spout Opening Distance Length: 182mm



DM209CF DM209CF#PG

Floor Standing Bath & Shower Set w/ Hand Shower

Spout Opening Distance Height: 750mm Length: 160mm



DM209ACF DM209ACF#PG Floor Standing Bath & Shower Set w/ Hand Shower

Spout Opening Distance Height: 750mm Length: 160mm



HLET

TOILETS

LAVAIORIES

TUBS

WERS

CCESSORIES

SHOWCASE

UBLIC




DBX121CAMR DBX121CAMR#PG Aerial Fixed Over Head Shower

(Wall Type) Ø 323mm





DB245 DB245#PG Mixing Valve for Shower



DB245A DB245A#PG Mixing Valve for Shower



#PG Gold

Chrome #PG Gold

DBX120CAMR DBX120CAMR#PG

Aerial Fixed Over Head Shower

(Wall Type) Ø 223mm





DB246S DB246S#PG Mixing Valve w/ Diverter



DB246AS DB246AS#PG Mixing Valve w/ Diverter



DBX121-1CAM DBX121-1CAM#PG Aerial Fixed Over Head Shower

(Ceiling Type) Ø 323mm







DP352 / DV309-3R DP352#PG / DV309-3R Single Lever Bath & Shower w/ Diverter



DP356 / DV351 DP356#PG / DV3513 Way Diverter



DBX120-1CAM DBX120-1CAM#PG Aerial Fixed Over Head Shower

(Ceiling Type) Ø 223mm







DP353 / DV311-3 DP353#PG / DV311-3 Single Lever Shower Mixer



DP357 / DV357 DP357#PG / DV357



TBW01008B2 TBW01031B TBW01008B2#PG TBW01031B#PG Wall Mounted Hand Shower w/ Hose Holder w/ Wall Outlet

1 Mode Spray Ø 110mm







DP354 / DV105R DP354#PG / DV105R Volumn Control Valve



DP422 / DV418 DP422#PG / DV418 Thermostat Controller



TBW01010B2 TBW01031B TBW01010B2#PG TBW01031B#PG

Wall Mounted Hand Shower w/ Hose Holder w/ Wall Outlet

3 Mode Spray







DP355 / DV104-1R DP355#PG / DV104-1R 2 Way Diverter w/ On & Off Switch



DBX131C DBX131C#PG Gyrostream Body Shower

315



TTLR302F-1R1

Single Lever Lavatory Faucet

TTLR302FVR1 w/o Pop-Up Waste Spout Opening Distance Height: 93mm Length: 100mm

TTLR302FV-1R1 w/ Pop-Up Waste

Single Lever Lavatory Faucet for Tall Vessel

TTLR302FVR1

Spout Opening Distance Height: 213mm Length: 100mm

TTPR302F-1N

Single Lever Bidet Faucet w/ Pop-Up Waste

Spout Opening Distance Length: 118mm



TTMR302

Single Lever Bath & Shower Mixer



TTMR304V1

Single Lever Shower Mixer



TTBR302

Single Lever Bath & Shower Mixer w/ Diverter

Concealed Valve Unit

TTBB301V1

TTBR304

Single Lever Shower Mixer

TTBB302V1

Concealed Valve Unit



TTBR102V1

Bath Spout w/ Diverter

Spout Opening Distance Length: 145mm



TTBR102-1

Bath Spout Spout Opening

Distance Length: 145mm











TX491SI

TX488SZ

Fixed Over Head Shower (Ceiling Type) 300 x 300mm

Fixed Over Head Shower (Wall Type) Ø 250mm



DS740R

DS709R

Sliding Rail w/o Shower Head

Sliding Rail w/o Shower Head

603H mm

Size: 580H mm



TX721AEZ

Sliding Rail w/o Shower Head

Size: 625H mm



TX491SN

Fixed Over Head Shower (Ceiling Type) Ø 250mm



TX605KESBR

Kitchen Faucet

Size: 281H mm



YTS406BC

560W*200D*90H mm

Towel Shelf

Accessory G Selection (Round)



YH902C Paper Holder 151W*90D*74H mm



YRH902C Robe Hook 25W*44D*68H mm



YT902S4C Towel Bar 478W*44D*25H mm



636W*200D*69H mm

YT902S6C Towel Bar 628W*44D*25H mm

YAS201C

Soap Holder

110W*128D*45H mm



YTS902BC

Towel Shelf

Size:

YTT902C Towel Ring 211W*53D*50H mm



YRH903C Robe Hook 24W*45D*69H mm

YH903C

148W*106D*62H mm



Accessory G Selection (Square)

YT903S4C Towel Bar 474W*60D*29H mm



YAT201C Tumbler Holder 67W*107D*95H mm



YAK201GC Glass Shelf 600W*120D*32H mm

Accessory L Selection (Round)



YTT903C Towel Ring 200W*47D*74H mm



YTS903BC Towel Shelf 628W*201D*100H mm



YT903S6C Towel Bar 624W*60D*29H mm



YT406S4RC Towel Bar 440W*55D*Ø 40H mm

YH406RC

Paper Holder

165W*55D*83H mm



YT406S6RC Towel Bar Size: 650W*55D*Ø 40H mm

YTT406C



YT406W6C Double Towel Bar Size: 650W*120D*40H mm

YRH406C

Robe Hook

Ø 40*55D mm

Accessory L Selection (Square)



YH408RC Paper Holder 165W*55D*83H mm



YTT408C Towel Ring 229W*55D*99H mm



YRH408C Robe Hook 40W*55D*48H mm



YTS408BC Towel Shelf 560W*200D*90H mm



YT408S4RC Towel Bar 440W*55D*40H mm



YT408S6RC Towel Bar 650W*55D*40H mm




YT408W6C Double Towel Bar Size: 650W*120D*40H mm

SHOWCASE	
01	32
02	32
03	33
0 4	33
05	34
06	34
07	34
08	34
09	35
10	35
11	35
12	35
13	35
1 4	36
15	36
16	36









NEOREST NX CS901VT



















Washbasin L4706E









Hand Shower TBW02017A



3 Way Diverter TBV02105B Over Head Shower





Thermostat Controller



Tub Filler TBP01301AA / TBN01105B



TBV02402B





Elbow TBW08009A





Paper Holder YH902C











Touchless Faucet TLP01701J / TLP01702S



Washbasin L4706E



Tub Filler TBP01301AA / TBN01105B





















Lavatory Faucet
TLP02304B

orange reddot winner 2022
Matte Black







Tub Filler TBP02303AA / TBN01105B





Flotation Tub PJY1724BHPWE





Towel Ring YTT902C





Washbasin L4716RE DESIGN AWARD 2017

Hand Shower TBW02006A

reddot winner 2022 Matte Black

Paper Holder YH902C w reddot winner 2022 Matte Black



































PJY1724NHPWE



Paper Holder YH902C

















Lavatory Faucet TLG02304B





Washbasin L1716





Over Head Shower TBW08003A

Hand Shower TBW02006A



Thermostat Controller TBV02406B



Tub Filler TBG02306AA / TBN01105B



FLOTATION TUB PJY1724WPWE





Elbow TBW08009A



Towel Bar YT902S6C



Slide Bar TBW07019A















Over Head Shower TBW01004BA Hand Shower TBW01010A



Wall Outlet TBW01014B



Paper Holder YH902C



Over Head Shower TBW08004A





Hand Shower TBW02017A



Body Shower TBW08008A



3 Way Diverter TBV02105B



Thermostat Controller TBV02402B



On/Off Valve TBV02101B



Elbow TBW08010A





Over Head Shower TBW08002A



Hand Shower TBW07008A



Body Shower TBW07017A



3 Way Diverter w/On/Off valve TBV01102B




Thermostat Controller TBV01406B



Elbow TBW01014B

PUBL









Wall Hung Toilet WASHLET RW CW542HME5UNW1 TCF802C2Z





Wall Hung Toilet WASHLET RX CW542HME5UNW1 TCF795C2Z





Lavatory Faucet
TLP03302A1





Washbasin L4704E





Free Standing Bathtub PJY1744WHPWE



Tub Filler TBP03301A / TBN01105B




Paper Holder YH903C



Towel Bar YT903S6C







Wall Hung Toilet WASHLET RW CW542HME5UNW1 TCF802C2Z





Wall Hung Toilet WASHLET RX CW542HME5UNW1 TCF795C2Z

DESIGN AWARD 2019 GOOD GREEN AWARD 2016





reddot award 2019 winner



Washbasin L4716RE



Free Standing Bathtub
PJY1744WHPWE



Tub Filler TBG07306A / TBN01105B



Paper Holder YH903C



Towel Bar YT903S6C

















Wall Hung Toilet WASHLET SX CW522HME5UNW1 TCF797C2Z





Lavatory Faucet TLG08201B



Lavatory Faucet TLG08302V_V1 reddot award 2019 winner



Washbasin LW1536A



Free Standing Bathtub PJY1724WHPWE



Tub Filler TBG08306A / TBN01105B




Paper Holder YH903C



Towel Bar YT903S6C







Wall Hung Toilet WASHLET RW CW542HME5UNW1 TCF802C2Z





Wall Hung Toilet WASHLET RX CW542HME5UNW1 TCF795C2Z







Washbasin LW1506JU







Bathtub PPY1750HPE









Towel Bar YT903S6C

SHOWCASE 13







Wall Hung Toilet WASHLET SW CW522HME5UNW1 TCF804C2Z







Wall Hung Toilet WASHLET SX CW522HME5UNW1 TCF797C2Z





Lavatory Faucet TLG10306V_V1





Washbasin PJS06WE



Free Standing Bathtub PJY1724WHPWE





Tub Filler TBG10306A / TBN01105B



Paper Holder YH903C



Towel Bar YT903S6C

SHOWCASE



FITTINGS & SHOWERS











Wall Hung Toilet WASHLET RX CW542HME5UNW1 TCF795C2Z





Lavatory Faucet TLG11306V_V1



WashbasinPJS05WE DESIGN AWARD 2021



Free Standing Bathtub PJY1744WHPWE



Tub Filler TBG11306A / TBN01105B



Paper Holder YH903C



Towel Bar YT903S6C



SHOWCASE



FITTINGS & SHOWERS













Lavatory Faucet TLG02201BA



Shower Mixer w/ Diverter TBG02304B



Over Head Shower TBW02003BA



Hand Shower TBW02005A



Free Standing Bathtub PJY1724WHPWE



Tub Filler TBG02306A / TBN01105B



Paper Holder YH903C



Robe Hook YRH903C



Towel Bar YT903S6C























PPY1750HPE









Lavatory Faucet TLG04307B reddot award 2018 winner

Shower Mixer w/ Diverter TBG04304B

Over Head Shower TBW01003BA

Hand Shower TBW01008A

Tub Filler TBG04202BA

Paper Holder YH903C

Robe Hook YRH903C

Towel Bar YT903S6C

FITTINGS & SHOWERS

Restrooms designed with people in mind.



TOTO

A public restroom. It's not just where y

It's also a place for freshening up, touching up makeup, and m

For many years, our approach at TOTO has always been to put the user first. Offering products that combine unique technologies and sophisticated designs,

TOTO proposes restrooms that anyone can use in comfort and with peace of mind

TOTO PUBLIC RESTROOMS



CLEANLINESS

Touchless Technology





From the time you enter a restroom until you leave,
TOTO's touchless products perform
every action necessary without direct physical contact.

With many people using the restrooms in train stations, shopping centers, schools, offices and other facilities, it is of utmost importance that public restrooms are sanitary. Plumbing fixtures should have functions that can reduce the spread of coronaviruses, influenza, noroviruses, and other infectious diseases which can have a serious impact on society. TOTO restroom fixtures are equipped with touchless functions that enable people to use the toilets, then wash and dry their hands without having to come into contact with the fixtures themselves. In addition to ensuring that restrooms can be used sanitarily and comfortably, the risk of spreading infectious diseases is greatly reduced. TOTO goes beyond merely 'sanitary' to achieve an extraordinarily high level of hygiene for restroom fixtures.

Every action is performed hands-free.



Automatic flushing toilet




Touchless soap Touchless far dispenser




Automatic hand dryer

CLEANLINESS

Clean Technology





CLEAN SYNERGY combines the sanitary functions of a TOTO toilet and WASHLET to keep the toilet fresh and clean.


Advanced techologies to keep toilets fresh and clean.

Ever since TOTO was founded more than 100 years ago, we have been developing and manufacturing sanitary, hygienic ceramic products. TOTO products feature surfaces that are easy-to-clean, resist stains, and prevent adherence of waste. With this single-minded goal, TOTO has developed a long list of innovative technologies. Example include the extraordinarily smooth CEFIONTECT nano-technology glaze, which prevents waste matter from adhering, and TORNADO FLUSH, which delivers powerful flushing with minimal water, all so that everyone can comfortably use the restroom with peace of mind.

Advanced technologies combine to keep toilets fresh and clean.







TORNADO FLUSH

EWATER+

371

WASHLE

ETS

S.

LAVA

THTUBS

RS

10)

ACCESSOR

SHOWCASE

UBLIC

COMFORT





A growing number of public restrooms have an area separated from the washing area where users can relax, freshen up and even touch up their makeup, reducing the need to crowd around the washbasins.

From a place where people just "go to the toilet" to a place where people can freshen up and relax.

One part of a restroom has recently undergone significant change: the washing area. Previously there may have been just a sink to wash your hands, but this area has now evolved into a place where people can place their bag and freshen up, or even sit down and take time to retouch their makeup. Keeping pace with this trend, TOTO offers not only fixtures, but also innovative proposals for comfortable, multifunctional lavatory spaces.





NEOREST

LET

TOILETS

LAVALORIES

UBS

ERS A

ESSORIES

VCASE

)

UNIVERSAL **DESIGN**




















Standardized symbols for toilet operation panel

Standardized position of fixtures and

TOTO was influential in the establishment of standardized graphical symbols for toilet operation units (ISO 7000) and standardization of accessible design, including the shape and color of the flushing and call buttons and their arrangement together with the paper

As a leading manufacturer of plumbing fixtures, TOTO strives to develop products featuring universal design and standardized specs.

Public restrooms are used by many different people. TOTO places great importance on universal design to ensure that everyone can use restrooms with comfort and ease. TOTO's product development incorporates customer feedback and extensive study results on user needs and how products are used. Human body movement and physical effort are also scientifically analyzed. TOTO collaborates with experts to evaluate the ease of use of different fixtures and space layouts, and works to promote uniform industry standards. TOTO will continue to prioritize universal design to make restrooms easy to use for as many people as possible.








EARTH-FRIENDLY






This ECOPOWER touchless faucet uses the flowing water to generate the electricity it needs to operate. There is no need for electrical wiring, making installation and renovation easier.

Features for enhanced water-saving and energy-saving without sacrificing comfort or convenience.

Reducing CO2 emissions has become an issue of global importance, but how can public restrooms be made more earth-friendly? The answer is to minimize the amounts of water and electricity used. As a leading manufacturer of plumbing fixtures, TOTO has been working to reduce water and electricity consumption by our fixtures for many years. Today, TOTO's water-saving toilets use just 3.8 liters of water per flush, the world's highest standard of water-saving performance and about half the amount of water used by toilets in 1995. TOTO continues to develop fixtures that conserve water and electricity while maintaining comfort and convenience. One example is ECOPOWER touchless faucets, which use the flow water to generate electricity and ECO CAP, which mixes air with water so users can thoroughly wash their hands while using less water.

Steadily reducing toilet water consumption



8L (1995) 3.8L (2020)



rs FCO

CO CAP

377


SERVICEABILITY





Clean and sanitary even in places that can't be seen. Public restrooms that are easier to clean and service.

It is important to maintain a high level of comfort and convenience when considering ways to reduce the amount of work needed to clean and service a restroom. TOTO has developed a variety of innovations and technologies for keeping restrooms clean and sanitary and for suppressing the accumulation of waste, not only in visible areas but also in places hidden from sight such as the inside of pipes. Urinals are periodically flushed automatically when not in use, such as at night to keep drainpipes clean. Though innovations such as a compact urinal trap that efficiently replaces the water after use, and EWATER+ for preventing stains and odors, restrooms are kept sanitary while effectively conserving water.




Interval Flushing System Automatically flushing after each use, the urinal also flushes periodically to prevent the buildup of urine scale in the drainpipe. Vastewater containing a hign volume of urine

EWATER+

Unifying various hotel spaces with a discerning design.

Faucet fittings in public areas and guest rooms can be unified with the same design sense.* From public to private spaces, you can use just the right faucet to coordinate spaces in the hotel.

*Compatible series: GE, GC , GM



A graceful arch design echoing traditional architecture presents an extraordinary space.





Handle faucet (private room)



GE series

A sharp and beautiful design reminiscent of a Japanese sword asserts its presence in the area.









A transitional design that incorporates classical elements into simple forms, richly producing the stylistic beauty of a hotel Touchless faucet (public area)





ZN series


GEseries






GCseries

GMseries



TLE24 series

TLE25 series



TLE26 series

TLE27 series






TLE28 series

TLE29 series










ECOPOWER

This sensor-activated TOUCHLESS FAUCET generates its own electricity. ECOPOWER technology requires no external power source, has no minimum daily usage requirement, and is capable of generating its own power at the ultra-low flow water volume is only 2.0 L/min. ECOPOWER is environmentally sustainable.





SOFT FLOW

Elegant streams of water from SOFT FLOW faucets gently touch skin. A premium calming experience. Soft and soothing. Sensor-operation eliminates the need for levers or buttons to touch, offering a new level of cleanliness for your health and wellbeing.

Applicable model: TLE21, TLE24





ECO CAP

ECO CAP is an air-injection technology, which reduces water consumption. Aerating the water increases it's volume, so you can wash your hands with full stream while using less water.

Applicable model: TLE20, TLE22, TLE25, TLE26, TLE27, TLE28, TLE29

ZN series



Soft and calming to the touch, graceful water streams gently caress your hands.



TLP01702S Touchless Faucet DECK MOUNT / Tall

3.0L/min Flow Rate: Spout Opening Distance Height: 156 mm













Transitional design that incorporates classical elements into simple forms.



TLE21006A Touchless Faucet DECK MOUNT / Normal

Flow Rate: 2.0L/min Spout Opening Distance 2.0L/min Height:











Sharp and beautiful design reminiscent of a Japanese sword.



Touchless Faucet DECK MOUNT / Normal Flow Rate: 2.0L/min

Spout Opening Distance















Graceful arch design echoing traditional architecture.



Touchless Faucet DECK MOUNT / Normal

Flow Rate: 2.0L/min Spout Opening Distance













TLE24 series reddot winner 2021 best of the best

















TLE24007A

TLE24006A

Flow Rate:

Touchless Faucet

Spout Opening Distance

2.0L/min

146 mm

Touchless Faucet DECK MOUNT / Semi-Tall Flow Rate: 2.0L/min

Spout Opening Distance







Touchless Faucet DECK MOUNT / Tall

Flow Rate: 2.0L/min Spout Opening Distance 164 mm









TLE24010A

Touchless Faucet WALL MOUNT / Long Flow Rate: 2.0L/min Spout Opening Distance
















TLE25007A

Touchless Faucet DECK MOUNT / Semi-Tall Flow Rate: 2.0L/min

Spout Opening Distance 140 mm







TLE25008A

Touchless Faucet DECK MOUNT / Tall Flow Rate: 2.0L/min

Spout Opening Distance











TLE25006A Touchless Faucet

Flow Rate:

Length:

DECK MOUNT / Normal

Spout Opening Distance

2.0L/min

TLE25010A

Touchless Faucet WALL MOUNT / Long Flow Rate: 2.0L/min Spout Opening Distance











TLE26 series reddot winner 2021







TLE26006A

Touchless Faucet DECK MOUNT / Normal Flow Rate: 2.0L/min

Spout Opening Distance













TLE26007A

Touchless Faucet DECK MOUNT / Semi-Tall

Flow Rate: 2.0L/min Spout Opening Distance













Contemporary design that

strives for ultimate simplicity.

TLE26008A

Touchless Faucet DECK MOUNT / Tall Flow Rate: 2.0L/min

Spout Opening Distance Height: 218 mm



















TLE26010A

Touchless Faucet WALL MOUNT / Long Flow Rate: 2.0L/min Spout Opening Distance Length: 225 mm







Series

DESIGN AWARD 2021

DESIGN AWARD 2021

GOOD DESIGN AWARD 2021







Neutral design with emphasized edges.



TLE27002A

Touchless Faucet DECK MOUNT / Normal

Flow Rate: 2.0L/min Spout Opening Distance











TLE28 series DESIGN AWARD 2021 GREEN GOOD DESIGN AWARD 2021





Simple yet versatile design

accentuated by the angled



Touchless Faucet DECK MOUNT / Normal

Flow Rate: 2.0L/min Spout Opening Distance











TLE29 series GREEN GOOD GREEN AWARD 2021



cit of the spout.



Simple design with compact body, giving a clean impression.



TLE29002A Touchless Faucet

DECK MOUNT / Normal Flow Rate: 2.0L/min Spout Opening Distance











Product lineup Spout



Lavatory



Faucet / Lavatory Planning

Туре		DECK MOUNT	WALL MOUNT			
Size	Normal	Semi-Tall	Tall	Long		
ZN	_	_	TLP01701J	_		
GE	TLE20006A	_	_	_		
GC	TLE21006A	_	_	_		
GM	TLE22006A	_	_	_		
TLE24	E24		TLE24008A	TLE24010A		
TLE25	TLE25006A	TLE25007A	TLE25008A	TLE25010A		
TLE26	TLE26006A TLE26007A		TLE26008A	TLE26010A		
TLE27	TLE27002A	_	_	_		
TLE28	7 TLE28002A	_	_	_		
TLE29	29		_	_		

Controller You can choose from your preference.

All Touchless Faucets are able to match all different type of controllers as shown below (except for ZN Series)

Туре	ECOPOWER (Self-powered type) TLE03502A	AC - BF PLUG TLE01502A	AC - C PLUG TLE01502A1	DC (Battery Operated) TLE04502A
Cold Water TLN01002A	0	0	0	0
 Thermostatic TLN01003A / TLE05701A	0	0	0	0

^{*}Spouts with different flow rates are available; please contact us for details

Touchless Soap Dispenser



Product lineup


Size	Normal	Semi-Tall	Tall	
TLK07	TLK07001G	TLK07002G	TLK07003G	
TLK08	TLK08001G	TLK08002G	TLK08003G	
TLK09	TLK09001G	_	_	

Functions and durability that prevent malfunction and

troubles due to misuse or vandalism.

A wide variety of people utilize public spaces, from small children to adults, and misuse or vandalism can lead to malfunctions and other troubles. TOTO's automatic soap dispensers have functions and durability to minimize breakdowns and troubles,

dispensers, and even adults may press against dispensers. We therefore designed our spouts with a groove so that when liquid soap is dispensed, if the tip is covered soap will squirt out toward the back, not in a way that will cause it to





A spout structure designed for strength, difficult to break. Assuming that strong forces might be applied to the spout tip, we inserted a

pipe within the base for increased strength. Even if the spout is damaged, this prevents cracking and breaking at the base.



TLK07001G

Touchless Soap Dispenser DECK MOUNT / Normal AC 100-240V Operated Soap Volume: 1.2ml Size: Ø40*140D*77H mm



TLE08 series



TLK08001G

Touchless Soap Dispenser DECK MOUNT / Normal AC 100-240V Operated Soap Volume: 1.2ml 38W*140D*83H mm



TLE09 series



TLK09001G Touchless Soap Dispenser

DECK MOUNT / Normal AC 100-240V Operated Soap Volume: 1.2ml Ø48*134D*130H mm



Matching Tank Unit

Tank	1L Tank for 1 Spout		3L Tank for 1 Spout		3L Tank for 2 Spout		3L Tank for 3 Spout	
Spout	TLK01104AA Type BF Adaper Plug	TLK01104TA Type C Adaper Plug	TLK01101AA Type BF Adaper Plug	TLK01101TA Type C Adaper Plug	TLK01102AA Type BF Adaper Plug	TLK01102TA Type C Adaper Plug	TLK01103AA Type BF Adaper Plug	TLK01103TA Type C Adaper Plug
TLK07001G	•	•	•	•	•	•	•	•
TLK07002G	•	•	•	•	•	•	•	•
TLK07003G	•	•	•	•	•	•	•	•
TLK08001G	•	•	•	•	•	•	•	•
TLK08002G	•	•	•	•	•	•	•	•
TLK08003G	•	•	•	•	•	•	•	•
TI K09001G	•	•	•	•	•	•	•	•



TLK07002G

Touchless Soap Dispenser DECK MOUNT / Semi-Tall AC 100-240V Operated Soap Volume: 1.2ml Ø40*140D*180H mm





TLK08002G

Touchless Soap Dispenser DECK MOUNT / Semi-Tall AC 100-240V Operated Soap Volume: 1.2ml 38W*140D*188H mm





TLK07003G

Touchless Soap Dispenser DECK MOUNT / Tall AC 100-240V Operated Soap Volume: 1.2ml Ø40*140D*220H mm Size:



TLK08003G

Touchless Soap Dispenser DECK MOUNT / Tall AC 100-240V Operated Soap Volume: 1.2ml 38W*140D*226H mm





DSE101EP

AC 100-240V Operated

DSE101KP

Battery Operated

Touchless Soap Dispenser (Spout and Tank)
Deck Mount / Normal

Soap Volume: 0.8ml - 1.2ml

Tank Capacity: 1500ml Size: Ø41*131D*114H mm





Bringing a whole new level of hygiene with TOTO integrated urinal









Integrated with EWATER+ that are electrolyzed water that will help to reduce waste and dirt. It helps to break down organic matters found on the urinal.






A super smooth ion barrier glazing on the urinal. Helps prevent stains event after a long term usage

SUPPRESSES bacteria growth in




Regularly spray EWATER+ to effectively inhibit pollution in the trap area

Urinal Automatic Interval Flush


















Urinary Concentrates Water



2) 1st Flush State



USWN900AS AC 220V Operated w/ E-WATER+

USWN900AE

USWN900A

Wall Hung Low-Lip Urinal

380W*420D*920H mm

Flush Volume: 0.5L







USWN902AS

220-240V, 50/60Hz Operated w/ E-WATER+

USWN902AE 220-240V, 50/60Hz

Operated

USWN902A

Wall Hung Urinal w/ Built in Sensor

Flush Volume: 0.5L 380W*390D*660H mm









USWN925AS

AC 220V Operated w/ E-WATER+

USWN925AE AC 220V Operated

USWN925A

Wall Hung Urinal w/ Built in Sensor

Flush Volume: 0.5L

306W*400D*590H mm









U901HE Back Inlet

DUE126UE

Concealed Flush Valve (AC Operated)

DUE126UK Concealed Flush Valve (Battery Operated) Wall Hung Low-Lip Urinal

Flush Volume: 0.5L 380W*420D*920H mm









UWN903HA

DUE126UE (AC Operated)

DUE126UK Concealed Flush Valve (Battery Operated)

Wall Hung Urinal

380W*390D*660H mm



407



UT445HV

DUE126UEConcealed Flush Valve (AC Operated)

DUE126UK Concealed Flush Valve (Battery Operated) Wall Hung Urinal

Flush Volume: 0.5L 449W*335D*650H mm





TTUE602AS Concealed Flush Valve (AC Operated)

TTUE602DS Concealed Flush Valve (Battery Operated)

Wall Hung Urinal

Flush Volume: 3.0L 444W*356D*685H mm



UW350HJT1 Back Inlet

TTUE602AS Concealed Flush Valve (AC Operated)

TTUE602DS Concealed Flush Valve (Battery Operated) Wall Hung Urinal

Flush Volume: 3.0L

370W*360D*735H mm





U57K Back Inlet

TTUE602AS Concealed Flush Valve (AC Operated)

TTUE602DS Concealed Flush Valve (Battery Operated) Wall Hung Urinal

Flush Volume: 3.0L 330W*310D*605H mm



UW352J Back Inlet

TTUE602AS Concealed Flush Valve (AC Operated)

TTUE602DS Concealed Flush Valve (Battery Operated)

Wall Hung Urinal

Flush Volume: 3.0L

345W*355D*780H mm



UT904HRV

DUE126UE Concealed Flush Valve (AC Operated)

DUE126UK Concealed Flush Valve (Battery Operated) Wall Hung Urinal

Flush Volume: 0.5L 260W*345D*675H mm



UT557V Top Inlet

TX501U Manual Flush Valve Wall Hung Urinal

Flush Volume: 2.5L Size: 340W*340D*590H mm





UW930J

TX501U Manual Flush Valve Wall Hung Urinal

Flush Volume: 2.5L Size: 420W*362D*744H mm



UW58J Top Inlet

T60P-1L Manual Flush Valve Wall Hung Urinal

Flush Volume: 1.0L

330W*360D*690H mm



U104 Top Inlet

TX501UV1

Manual Flush Valve

Wall Hung Urinal

Flush Volume: 2.5L Size: 320W*340D*540H mm

FITTINGS & SHOWERS

408

DUE126UK

Concealed Urinal Sensor Flush Valve



DUE126UE

AC 220V Operated

Flush Volume: 0.5L Water Pressure: 0.05~0.75MPa Size: 115W*115H mm

TTUE602DS

Battery Operated

Concealed Urinal Sensor Flush Valve




TTUE602AS AC 220V Operated

Flush Volume: 3L Water Pressure: 0.05~0.75MPa Size: 115W*115H mm



DUE126UPK

DUE126UPE AC 220V Operated



Flush Volume: 0.5L Water Pressure: 0.05~0.75MPa



130W*130H mm





TEA99V100 AC 220V Operated

Concealed Urinal Sensor Flush Valve w/ Manual Actuation



Flush Volume: 1.5L Water Pressure: 0.07~0.75MPa Size: 130W*130H mm



TX501U

Urinal Flush Valve


Flush Volume: 2.5L Water Pressure: 0.07~0.75MPa




TX501UV1

Urinal Flush Valve

Flush Volume: 2.5L Water Pressure: 0.07~0.75MPa



TOILET TOILET





CW822RFVA

TREF35L2A Concealed Toilet Sensor Flush Valve

Wall Hung Toilet

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated 220mm (P-Trap) Rough-in: 380W*540D*330H mm









CW763FVB

Tornado Flush (4.5L) Rough-in: 200mm (S-Trap)

CW763FVPB

Flush System: Tornado Flush (4.5L) Rough-in: 180mm (P-Trap)

TEF75LNV100/110

Concealed Toilet Sensor Flush Valve

Wall Faced Toilet

Bowl Shape: D-Shape 380W*630D*483H mm













CW708EH

TEF75LNV110

Sensor Flush Valve

Wall Hung Toilet

Flush System: Siphon-Jet

Bowl Shape: Elongated Rough-in: 155mm (P-Trap) 385W*622D*424H mm





CW708E

TV150NSV4J

Exposed Manual Toilet Flush Valve

Wall Hung Toilet

Flush System: (4.8L) Bowl Shape: Elongated Rough-in:

155mm (P-Trap) 385W*622D*334H mm





TREF25K2A **Battery Operated**

Concealed Toilet Sensor Flush Valve



Flush Volume: 4.5L Water Pressure: 0.1~0.75MPa

Toilet Sensor Switch (Cover) Size: 185W*9D*185H mm



NEW WH005

Concealed Frame

Size: Width:

500 mm 165~220 mm Depth: Height: 520~680 mm



NEW

TREF25U2A AC 220V Operated Concealed Toilet Sensor Flush Valve



Flush Volume: 4.5L Water Pressure: 0.1~0.75MPa

Toilet Sensor Switch (Cover) 185W*9D*185H mm






Battery Operated

DCE603U

DCE603UE AC 220V Operated







Flush Volume: 6L Water Pressure: 0.07~0.75MPa

Toilet Sensor Switch (Cover)

120W*1.5D*171H mm





TEF75LNV100

TEF75LNV110

Concealed Toilet Sensor Flush Valve



AC 220V Flush Volume: 4.5L

Water Pressure: 0.07~0.75MPa

Toilet Sensor Switch (Cover)
Size: 130W*5D*130H mm





DCB603VR

Concealed Manual Toilet

Flush Valve

Flush Volume: 8L Water Pressure: 0.07~0.75MPa



TV150NSJ


TV150NSV4J

Exposed Manual Toilet Flush Valve w/ Vacuum Breaker

Water Pressure: 0.07~0.75MPa

Promote the contribution to the Environment Protection

In comparison with an paper dispenser installation, the hand dryer will not only reduce garbage disposal and also promote an environmental substainability





Sleek and compact in design, this energy-efficient dryer is sensor activated with double-sided blowers for fast drying. Features side panels and bottom tray. Decibel rating of 57dB for comfortable use.

TYC423WC

Clean Dry High Speed Hand Dryer w/o Heater (Double Side)

AC 230V Operated Size: 300W*186D*550H mm



TYC322W

Clean Dry High Speed Hand Dryer Air Heater On/Off

AC 220-240V Operated Drying Time: 5-9 sec

300W*186D*550H mm



TYC322M

Clean Dry High Speed Hand Dryer Air Heater On/Off

AC 220-240V Operated

Drying Time: 5-9 sec

245W*134D*226H mm



TYC322WF

Clean Dry High Speed Hand Dryer Air Heater On/Off

AC 220-240V Operated

Drying Time: 5-9 sec Size: 245W*154D*226H mm



TYC602

Clean Dry High Speed Hand Dryer (Wall Embedded Type) Air Heater On/Off

AC 220-240V Operated

Drying Time:

320W*164D*575H mm



TYC602P

Clean Dry High Speed Hand Dryer with Paper Dispenser and Waste Bin (Wall Embedded Type) Air Heater On/Off

AC 220-240V Operated

Drying Time: 5-9 sec Size: 350W*185D*1680H mm

FITTINGS & SHOWERS

416

NEORES

WASHLE

TOILETS

/ATORIES

BATHTUBS

FITTINGS & SHOWERS

SSORIES

WCASE

YKB101

Litter Bin

: 152W*152D*300H mm



YH150LS YH150RS

Toilet Paper Holder

e: 300W*137D*136H mm



YKB102

Litter Bin

Size: 330W*171D*300H mm



YKH21WR

Door Stopper Hook

Size: 100W*100D*50H mm



YH700AD

Toilet Paper Holder

Size: 300W*120D*88H mm



YKH21R

Hook

Size: 50W*100D*50H mm



YH116

Toilet Paper Holder

Size:

130W*107D*75H mm

PUB

GYHR600M Height: 600 mm

GYHR800M Height: 800 mm

Hand Rail I Type Stainless Steel

65 mm away from wall



GT114C6#NW1

Hand Rail

Stainless Steel + White PVC

90 mm away from wall Length: 600 mm



T114C6R

Hand Rail Stainless Steel + Wood

90 mm away from wall

Length: 600 mm



T112C5 V1 Length: 450 mm

T112C5 V2

Length: 500 mm

T112C6 V1 Length: 600 mm

T112C8 V2

T112C8 V3 Length: 800 mm

Hand Rail Stainless Steel Coated with White PVC

65 mm away from wall



T112C6 V2

Hand Rail

Stainless Steel Coated with White PVC

120 mm away from wall

600 mm Length:



T112CL6N V1

Hand Rail Corner Type Stainless Steel Coated with White PVC

65 mm away from wall

1200L*766W mm



T113HK7R

Toilet Hand Rail

Flip Type Stainless Steel

700L*150H mm



T114HK7R#NW1

Toilet Hand Rail

Flip Type Stainless Steel + White PVC

700L*150H mm



T112H7RV1#NW1

Toilet Hand Rail

Flip Type

Stainless Steel Coated with White PVC

700L*160H mm



GYHR86MR

GYHR86ML

Hand Rail L Type Stainless Steel

65 mm away from wall

800L*600W mm Size:



GT114CL9#NW1 Size: 700L*700W mm 90 mm away from wall

T114CL10R#NW1

Size: 700L*700W mm 120mm away from wall

Multi-purpose Hand Rail

L Type Stainless Steel + White PVC



T114CL9R

Hand Rail

Hand Rail

L Type Stainless Steel + White PVC

90 mm away from wall

700H*700W mm



T112CL1N V1

T112CR1N V1 Right Rail

L Type Stainless Steel Coated with White PVC

65 mm away from wall Size: 750H*800W mm

421

FITTINGS & SHOWERS

420



YKA15S VC

Baby Chair

300W*250D*950H mm



SKW322B / SKW322FB

Service Sink

560W*456D*883H mm



Baby Changing Station

780W*135D*1145H mm

When not In Use Size: 780W*560D*950H mm



DL501BN

Bottle Trap for Lavatory (P-Trap)



DL501SR

Drainage Part for Lavatory (S-Trap)



EWC520AN VC

Multi-Function Changing Table

When In Use Size:

1500W*600D*620H mm When not In Use

1500W*160D*990H mm

422

TOTO HISTORY



1912

Established ceramic sanitary ware laboratory and began manufacturing sanitary ware.



1917

TOYO TOKI CO. LTD. was established by Kazuchika Okura, which is later renamed TOTO.



1923

The Great Kanto Earthquakes strikes devastating Tokyo.
A sewage system is built during the reconstruction, leading to a rapid growth in demand for sanitary wares.



1946

After World War II, TOTO begins producing metal fittings and faucets in addition to ceramic.



1980

TOTO launches WASHLET providing consumers with a whole new level of cleanliness and comfort.



2015

On the 100th anniversary, TOTO Museum in Kitakyushu was opened. Showcases the evolution of business and its products. The museum features a historical landmarks that changed Japanese bathroom culture from rural to urban. TOTO aims to promote this complex as a connection for customers and clients.



2013

TOTO Asia Oceania launches its first Technical Center in Singapore. It serves to introduce TOTO's latest product and technologies to customers.



2008

TOTO Asia Oceania Pte Ltd. is established as the regional headquaters of the Middle East, South Asia, South East Asia and Oceania.



1993

NEOREST toilet is launched incorporating WASHLET with a broad range of TOTO's innovation. It brings with it fullest realization yet of the principle of Clean Technology.



2017

TOTO exhibited at the ISH2017 the world's largest international trade fair in Frankfurt, Germany for sanitary wares, and renewable energy.



2019

Ever since the launched from 1980s, WASHLET design and features keeps improving from customers and clients experiences. By 2019 over **50 millions** units had been sold.



2021

"The Security of Touchless" concept is launched



2022

Ever since the launched from 1980s, WASHLET design and features keeps improving from customers and clients experiences. By 2022, over **60 millions** units had been sold.



throughout the Next Century